

**C4A3****SX 2300****Product Specifications****EFFICIENT 13 SEER AIR CONDITIONER  
ENVIRONMENTALLY SOUND R-410A REFRIGERANT****1-1/2 THRU 5 TONS SPLIT SYSTEM****208 / 230 Volt, 1-phase, 60 Hz****REFRIGERATION CIRCUIT**

- Copeland Scroll™ compressors on all models
- Filter-Drier supplied with every unit for field installation
- External high and low refrigerant service ports
- Copper tube / aluminum fin coil

**PERFORMANCE**

- 2-speed Fan Motors factory wired on all models
- Compressor Sound Jacket standard

**EASY TO INSTALL AND SERVICE**

- Comfort Alert™ Diagnostics device on all models
- Easy Access service valves on all models
- Innovative control box design
- High and Low pressure switches
- Fan motor in-line disconnect plug
- Only two screws to access control panel
- Factory charged with R-410A refrigerant

**BUILT TO LAST**

- High gloss, baked-on powder coat finish over galvanized steel
- Post-painted (black) coil fins
- Coated, weather-resistant cabinet screws
- Coated inlet grille with 3/8" (10mm) spacing for extra protection (hail guard)
- Corner Posts for extra strength and style

**WARRANTY\***

- 1 year No Hassle Replacement™ limited warranty
- 5 year compressor limited warranty
- 5 year parts limited warranty (including compressor and coil)
  - With timely registration, an additional 5 year parts limited warranty (including compressor and coil)

\* Applies to original purchaser/homeowner, some limitations may apply. See Warranty certificate for complete details.




Use of the AHRI Certified TM Mark indicates a manufacturer's participation in the program. For verification of certification for individual products, go to [www.ahridirectory.org](http://www.ahridirectory.org).




| Model Number | Size (tons) | Nominal Btu/hr | Min. Circuit Ampacity | Max. Fuse or Breaker | Operating Dimensions height x width x depth in. (mm) | Ship / Operating Weight lbs. (kg) |
|--------------|-------------|----------------|-----------------------|----------------------|------------------------------------------------------|-----------------------------------|
| C4A318GKD    | 1-1/2       | 18,000         | 11.8                  | 20                   | 25-5/16 x 23-1/8 x 23-1/8<br>(643 x 587 x 587)       | 143 / 117<br>(65 / 53)            |
| C4A324GKD    | 2           | 24,000         | 17.6                  | 30                   | 25-5/16 x 23-1/8 x 23-1/8<br>(643 x 587 x 587)       | 142 / 118<br>(64 / 54)            |
| C4A330GKD    | 2-1/2       | 30,000         | 16.8                  | 25                   | 28-11/16 x 23-1/8 x 23-1/8<br>(729 x 587 x 587)      | 151 / 127<br>(69 / 58)            |
| C4A336GKD    | 3           | 36,000         | 21.9                  | 35                   | 25-5/16 x 31-3/16 x 31-3/16<br>(643 x 793 x 793)     | 196 / 160<br>(89 / 73)            |
| C4A342GKD    | 3-1/2       | 42,000         | 23.5                  | 40                   | 32-1/8 x 31-3/16 x 31-3/16<br>(816 x 793 x 793)      | 230 / 195<br>(104 / 89)           |
| C4A348GKD    | 4           | 48,000         | 26.0                  | 40                   | 35-1/2 x 31-3/16 x 31-3/16<br>(902 x 793 x 793)      | 243 / 203<br>(110 / 92)           |
| C4A360GKD    | 5           | 60,000         | 34.2                  | 50                   | 28-11/16 x 31-3/16 x 31-3/16<br>(729 x 793 x 793)    | 250 / 215<br>(113 / 98)           |

| OUTDOOR UNIT MODEL NUMBER IDENTIFICATION GUIDE (single phase)                                                                                                                                                                               |          |          |          |          |           |          |          |          |          |          |          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|----------|----------|-----------|----------|----------|----------|----------|----------|----------|
| Digit Position:                                                                                                                                                                                                                             | 1        | 2        | 3        | 4        | 5, 6      | 7        | 8        | 9        | 10       | 11       | 12       |
| Example Part Number:                                                                                                                                                                                                                        | <b>C</b> | <b>4</b> | <b>A</b> | <b>3</b> | <b>18</b> | <b>G</b> | <b>K</b> | <b>D</b> | <b>1</b> | <b>0</b> | <b>0</b> |
| C = Keeprite Mainline<br>N = Keeprite Entry <b>BRANDING</b>                                                                                                                                                                                 |          |          |          |          |           |          |          |          |          |          |          |
| 4 = R-410A <b>REFRIGERANT</b>                                                                                                                                                                                                               |          |          |          |          |           |          |          |          |          |          |          |
| A = Air Conditioner<br>H = Heat Pump <b>TYPE</b>                                                                                                                                                                                            |          |          |          |          |           |          |          |          |          |          |          |
| 3 = 13 SEER<br>4 = 14 SEER<br>5 = 15 SEER<br>6 = 16 SEER<br>7 = 17 SEER<br>8 = 18 SEER <b>NOMINAL EFFICIENCY</b>                                                                                                                            |          |          |          |          |           |          |          |          |          |          |          |
| 18 = 18,000 BTUH = 1-1/2 tons<br>24 = 24,000 BTUH = 2 tons<br>30 = 30,000 BTUH = 2-1/2 tons<br>36 = 36,000 BTUH = 3 tons<br>42 = 42,000 BTUH = 3-1/2 tons<br>48 = 48,000 BTUH = 4 tons<br>60 = 60,000 BTUH = 5 tons <b>NOMINAL CAPACITY</b> |          |          |          |          |           |          |          |          |          |          |          |
| A = Standard Grille<br>G = Coil Guard Grille<br>C = Coastal <b>FEATURES</b>                                                                                                                                                                 |          |          |          |          |           |          |          |          |          |          |          |
| K = 208/230-1-60 <b>VOLTAGE</b>                                                                                                                                                                                                             |          |          |          |          |           |          |          |          |          |          |          |
| Sales Code                                                                                                                                                                                                                                  |          |          |          |          |           |          |          |          |          |          |          |
| Engineering Revision                                                                                                                                                                                                                        |          |          |          |          |           |          |          |          |          |          |          |
| Extra Digit                                                                                                                                                                                                                                 |          |          |          |          |           |          |          |          |          |          |          |
| Extra Digit                                                                                                                                                                                                                                 |          |          |          |          |           |          |          |          |          |          |          |

| ACCESSORIES PART NUMBER IDENTIFICATION GUIDE                               |          |          |          |          |          |           |           |           |  |
|----------------------------------------------------------------------------|----------|----------|----------|----------|----------|-----------|-----------|-----------|--|
| Digit Position:                                                            | 1        | 2        | 3        | 4        | 5        | 6, 7      | 8, 9      | 10, 11    |  |
| Example Part Number:                                                       | <b>N</b> | <b>A</b> | <b>S</b> | <b>A</b> | <b>0</b> | <b>01</b> | <b>01</b> | <b>CH</b> |  |
| N = Non-Branded <b>BRANDING</b>                                            |          |          |          |          |          |           |           |           |  |
| A = Accessory <b>PRODUCT GROUP</b>                                         |          |          |          |          |          |           |           |           |  |
| S = Split System (AC & HP) <b>KIT USAGE</b>                                |          |          |          |          |          |           |           |           |  |
| A = Original<br>B = 2nd Generation <b>MAJOR SERIES</b>                     |          |          |          |          |          |           |           |           |  |
| 0 = Generic or Not Applicable<br>2 = R-22<br>4 = R-410A <b>REFRIGERANT</b> |          |          |          |          |          |           |           |           |  |
| Product Identifier Number                                                  |          |          |          |          |          |           |           |           |  |
| Package Quantity                                                           |          |          |          |          |          |           |           |           |  |
| Type of Kit<br>(Example: CH = Crankcase Heater)                            |          |          |          |          |          |           |           |           |  |





| Dimensions mm (SI Metric) |     |     |    |    |     |     |     |    |    |     |     |     |                           |                             |
|---------------------------|-----|-----|----|----|-----|-----|-----|----|----|-----|-----|-----|---------------------------|-----------------------------|
| Model                     | A   | B   | C  | D  | E   | F   | G   | K  | L  | M   | N   | P   | Minimum Mounting Pad Size | Crated Dimensions h x w x d |
| C4A318GKD                 | 587 | 643 | 95 | 19 | 113 | 459 | 198 | 71 | 13 | 279 | 279 | 305 | 597 x 597                 | 827 x 696 x 616             |
| C4A324GKD                 | 587 | 643 | 95 | 19 | 113 | 459 | 198 | 71 | 13 | 305 | 305 | 279 | 597 x 597                 | 827 x 696 x 616             |
| C4A330GKD                 | 587 | 729 | 95 | 19 | 113 | 459 | 198 | 71 | 13 | 279 | 279 | 305 | 597 x 597                 | 913 x 696 x 616             |
| C4A336GKD                 | 793 | 643 | 98 | 22 | 167 | 626 | 232 | 75 | 16 | 406 | 356 | 279 | 800 x 800                 | 827 x 901 x 821             |
| C4A342GKD                 | 793 | 816 | 98 | 22 | 167 | 626 | 232 | 75 | 16 | 381 | 406 | 381 | 800 x 800                 | 1000 x 901 x 821            |
| C4A348GKD                 | 793 | 902 | 98 | 22 | 167 | 626 | 232 | 75 | 16 | 406 | 381 | 381 | 800 x 800                 | 1086 x 901 x 821            |
| C4A360GKD                 | 793 | 729 | 98 | 22 | 167 | 626 | 232 | 75 | 16 | 381 | 356 | 305 | 800 x 800                 | 913 x 901 x 821             |

| PHYSICAL DATA                                                                                                                                                                                                                                                                                                                                                                             | PHYSICAL DATA  |                |                |                 |                 |                 |                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Model Size                                                                                                                                                                                                                                                                                                                                                                                | 18             | 24             | 30             | 36              | 42              | 48              | 60              |
| Nominal Cooling Capacity (BTU/hr)                                                                                                                                                                                                                                                                                                                                                         | 18,000         | 24,000         | 30,000         | 36,000          | 42,000          | 48,000          | 60,000          |
| Nominal SEER                                                                                                                                                                                                                                                                                                                                                                              | 13.0           | 13.0           | 13.0           | 13.0            | 13.0            | 13.0            | 13.0            |
| Sound Rating**                                                                                                                                                                                                                                                                                                                                                                            |                |                |                |                 |                 |                 |                 |
| High Speed Fan (dBA)                                                                                                                                                                                                                                                                                                                                                                      | 70             | 74             | 73             | 73              | 74              | 73              | 74              |
| Low Speed Fan (dBA)                                                                                                                                                                                                                                                                                                                                                                       | 68             | 71             | 72             | 72              | 74              | 71              | 72              |
| PSC Fan Motor HP                                                                                                                                                                                                                                                                                                                                                                          | 1/12           | 1/10           | 1/10           | 1/5             | 1/5             | 1/4             | 1/4             |
| Fan RPM High                                                                                                                                                                                                                                                                                                                                                                              | 1094           | 1092           | 1087           | 840             | 841             | 828             | 816             |
| Fan RPM Low                                                                                                                                                                                                                                                                                                                                                                               | 995            | 990            | 937            | 803             | 799             | 764             | 735             |
| Fan CFM (High)                                                                                                                                                                                                                                                                                                                                                                            | 1747           | 2191           | 2191           | 3359            | 3359            | 3937            | 3937            |
| Coil Face Area ft <sup>2</sup> (m <sup>2</sup> )                                                                                                                                                                                                                                                                                                                                          | 8.40<br>(0.78) | 8.40<br>(0.78) | 9.80<br>(0.91) | 12.93<br>(1.20) | 17.25<br>(1.60) | 19.40<br>(1.80) | 15.09<br>(1.40) |
| Coil Rows–fins per inch                                                                                                                                                                                                                                                                                                                                                                   | 1–20           | 1–25           | 1–25           | 1–25            | 1–25            | 1–25            | 2–20            |
| Low Pressure Switch                                                                                                                                                                                                                                                                                                                                                                       |                |                |                |                 |                 |                 |                 |
| Open Pressure (psig)                                                                                                                                                                                                                                                                                                                                                                      | 50 ± 7         | 50 ± 7         | 50 ± 7         | 50 ± 7          | 50 ± 7          | 50 ± 7          | 50 ± 7          |
| Close Pressure (psig)                                                                                                                                                                                                                                                                                                                                                                     | 95 ± 7         | 95 ± 7         | 95 ± 7         | 95 ± 7          | 95 ± 7          | 95 ± 7          | 95 ± 7          |
| High Pressure Switch                                                                                                                                                                                                                                                                                                                                                                      |                |                |                |                 |                 |                 |                 |
| Open Pressure (psig)                                                                                                                                                                                                                                                                                                                                                                      | 610 ± 10       | 610 ± 10       | 610 ± 10       | 610 ± 10        | 610 ± 10        | 610 ± 10        | 610 ± 10        |
| Close Pressure (psig)                                                                                                                                                                                                                                                                                                                                                                     | 420 ± 25       | 420 ± 25       | 420 ± 25       | 420 ± 25        | 420 ± 25        | 420 ± 25        | 420 ± 25        |
| Liquid Line Connection Size in. (mm)                                                                                                                                                                                                                                                                                                                                                      | 3/8 (10)       | 3/8 (10)       | 3/8 (10)       | 3/8 (10)        | 3/8 (10)        | 3/8 (10)        | 3/8 (10)        |
| Vapor Line Connection Size in. (mm)                                                                                                                                                                                                                                                                                                                                                       | 3/4 (19)       | 3/4 (19)       | 3/4 (19)       | 7/8 (22)        | 7/8 (22)        | 7/8 (22)        | 7/8 (22)        |
| Recommended Line Set Liquid Tube Diameter in. (mm)                                                                                                                                                                                                                                                                                                                                        | 3/8 (10)       | 3/8 (10)       | 3/8 (10)       | 3/8 (10)        | 3/8 (10)        | 3/8 (10)        | 3/8 (10)        |
| Recommended Line Set Vapor Tube Diameter in. (mm)*                                                                                                                                                                                                                                                                                                                                        | 3/4 (19)*      | 3/4 (19)*      | 3/4 (19)*      | 7/8 (22)*       | 7/8 (22)*       | 7/8 (22)*       | 1–1/8 (29)*     |
| * Recommended Vapor Tube Line size is for standard installations. These recommendations may not apply to “Long Line” installations. When the total equivalent line length exceeds 80 feet (24.4m) or there is more than 20 feet (6.1m) vertical separation between indoor and outdoor units, consult the Long Line Application Guideline document before purchasing/installing line sets. |                |                |                |                 |                 |                 |                 |
| Factory Charge R–410A lbs. (kg)                                                                                                                                                                                                                                                                                                                                                           | 3.50<br>(1.59) | 3.80<br>(1.72) | 4.10<br>(1.86) | 5.34<br>(2.42)  | 5.84<br>(2.65)  | 7.00<br>(3.18)  | 8.00<br>(3.63)  |
| Required Subcooling ° F (° C)                                                                                                                                                                                                                                                                                                                                                             | 10 (6)         | 10 (6)         | 10 (6)         | 12 (7)          | 10 (6)          | 15 (8)          | 10 (6)          |
| Weight, shipping lbs. (kg)                                                                                                                                                                                                                                                                                                                                                                | 143 (65)       | 142 (64)       | 151 (69)       | 196 (89)        | 230 (104)       | 243 (110)       | 250 (113)       |
| Weight, operating lbs. (kg)                                                                                                                                                                                                                                                                                                                                                               | 117 (53)       | 118 (54)       | 127 (58)       | 160 (73)        | 195 (89)        | 203 (92)        | 215 (98)        |

| ELECTRICAL DATA (208/230–1–60, voltage range 197V – 253V)                 |           |              |            |            |             |             |             |
|---------------------------------------------------------------------------|-----------|--------------|------------|------------|-------------|-------------|-------------|
| Model Size                                                                | 18        | 24           | 30         | 36         | 42          | 48          | 60          |
| Minimum Circuit Ampacity –<br><b>MCA</b> (amps)                           | 11.8      | 17.6         | 16.8       | 21.9       | 23.5        | 26.0        | 34.2        |
| Maximum OverCurrent<br>Protective device – <b>MOCP</b> (amps)             | 20        | 30           | 25         | 35         | 40          | 40          | 50          |
| Compressor <b>RLA</b> (Rated Load Amps)<br><b>LRA</b> (Locked Rotor Amps) | 9.0<br>48 | 13.5<br>58.3 | 12.8<br>64 | 16.7<br>79 | 17.9<br>112 | 19.9<br>109 | 26.4<br>134 |
| Fan Motor <b>FLA</b> (Full Load Amps)                                     | 0.5       | 0.75         | 0.75       | 1.1        | 1.1         | 1.2         | 1.2         |

\*\*Sound Rating tested in accordance with ARI Standard 270–95 (not listed with ARI).

**R-410A COOLING CAPACITY LOSS FOR VARIOUS LINE LENGTHS & TUBE DIAMETERS**

| Model Size | Liquid Line in.(mm) | Acceptable Vapor Line Sizes in.(mm) | Cooling Capacity Loss (%) at Total Equivalent Line Length, feet (m)<br>Refer to Long Line Application Guideline to calculate equivalent length |               |               |                                              |                |                |                |                |              |                |                |
|------------|---------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|----------------------------------------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|
|            |                     |                                     | Standard Application                                                                                                                           |               |               | Long Line Application (Requires Accessories) |                |                |                |                |              |                |                |
|            |                     |                                     | 25'<br>(7.6)                                                                                                                                   | 50'<br>(15.2) | 80'<br>(24.4) | 81'<br>(24.7)                                | 100'<br>(30.5) | 125'<br>(38.1) | 150'<br>(45.7) | 175'<br>(53.3) | 200'<br>(61) | 225'<br>(68.6) | 250'<br>(76.2) |
| 18         | 3/8 (10)            | 1/2 (13)                            | 1                                                                                                                                              | 2             | 3             | 3                                            | 4              | 6              | 7              | 8              | 9            | 10             | 12             |
|            |                     | 5/8 (16)                            | 0                                                                                                                                              | 0             | 1             | 1                                            | 1              | 1              | 2              | 2              | 3            | 3              | 3              |
|            |                     | 3/4 (19)                            | 0                                                                                                                                              | 0             | 0             | 0                                            | 0              | 1              | 1              | 1              | 1            | 1              | 1              |
| 24         |                     | 5/8 (16)                            | 0                                                                                                                                              | 1             | 1             | 1                                            | 2              | 3              | 3              | 4              | 4            | 5              | 6              |
|            |                     | 3/4 (19)                            | 0                                                                                                                                              | 0             | 0             | 0                                            | 0              | 1              | 1              | 1              | 1            | 1              | 2              |
|            |                     | 7/8 (22)                            | 0                                                                                                                                              | 0             | 0             | 0                                            | 0              | 0              | 0              | 0              | 0            | 0              | 1              |
| 30         |                     | 5/8 (16)                            | 1                                                                                                                                              | 2             | 3             | 3                                            | 3              | 4              | 5              | 6              | 7            | 8              | 9              |
|            |                     | 3/4 (19)                            | 0                                                                                                                                              | 0             | 1             | 1                                            | 1              | 1              | 2              | 2              | 2            | 3              | 3              |
|            |                     | 7/8 (22)                            | 0                                                                                                                                              | 0             | 0             | 0                                            | 0              | 1              | 1              | 1              | 1            | 1              | 1              |
| 36         |                     | 5/8 (16)                            | 1                                                                                                                                              | 2             | 4             | 4                                            | 5              | 6              | 7              | 9              | 10           | 11             | 13             |
|            |                     | 3/4 (19)                            | 0                                                                                                                                              | 0             | 1             | 1                                            | 1              | 2              | 2              | 3              | 3            | 4              | 4              |
|            |                     | 7/8 (22)                            | 0                                                                                                                                              | 0             | 0             | 0                                            | 0              | 1              | 1              | 1              | 1            | 2              | 2              |
| 42         |                     | 3/4 (19)                            | 0                                                                                                                                              | 1             | 2             | 2                                            | 2              | 3              | 4              | 4              | 5            | 6              | 6              |
|            |                     | 7/8 (22)                            | 0                                                                                                                                              | 0             | 1             | 1                                            | 1              | 1              | 2              | 2              | 2            | 3              | 3              |
|            |                     | 1-1/8 (29)                          | 0                                                                                                                                              | 0             | 0             | 0                                            | 0              | 0              | 0              | 0              | 0            | 0              | 1              |
| 48/49      |                     | 3/4 (19)                            | 0                                                                                                                                              | 1             | 2             | 2                                            | 3              | 4              | 5              | 5              | 6            | 7              | 8              |
|            |                     | 7/8 (22)                            | 0                                                                                                                                              | 0             | 1             | 1                                            | 1              | 2              | 2              | 2              | 3            | 3              | 4              |
|            |                     | 1-1/8 (29)                          | 0                                                                                                                                              | 0             | 0             | 0                                            | 0              | 0              | 0              | 0              | 1            | 1              | 1              |
| 60/61      |                     | 3/4 (19)                            | 1                                                                                                                                              | 2             | 4             | 4                                            | 5              | 6              | 7              | 9              | 10           | 11             | 12             |
|            |                     | 7/8 (22)                            | 0                                                                                                                                              | 1             | 2             | 2                                            | 2              | 3              | 4              | 4              | 5            | 5              | 6              |
|            |                     | 1-1/8(29)                           | 0                                                                                                                                              | 0             | 0             | 0                                            | 1              | 1              | 1              | 1              | 1            | 1              | 2              |

\* Applications are considered "Long Line" if the total equivalent tubing length exceeds 80 feet (24.4m) or there is more than 20 foot (6.1m) vertical separation between indoor and outdoor units. These applications require additional accessories and system modifications for reliable system operation.

Applications in shaded area may have height restrictions that limit allowable total equivalent length when outdoor unit is below indoor unit.

**COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models**

For complete ratings information, use the AHRI website directory search: [www.AHRIdirectory.org](http://www.AHRIdirectory.org).  
New ratings may be listed online before Specification Sheets are updated.

| Unit Size | Indoor Model    | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |       |
|-----------|-----------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|-------|
|           |                 |                 | Cooling 95° F (35°C)  |                 |          |              |              |       |
|           |                 |                 | Capacity              | Factory Enhance | SEER     |              |              | EER   |
|           |                 |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |       |
| C4A318GKD | *ED*4X18B**     |                 | 17200                 | TXV             |          | 13           |              | 10.9  |
|           | FEA4X18**A*     |                 | 18000                 | TDR&TXV         | 14       |              |              | 12    |
|           | FEA4X24**A*     |                 | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | FEM4P18**A*     |                 | 17800                 | TDR             | 14.5     |              |              | 12    |
|           | FEM4P24**A*     |                 | 17800                 | TDR             | 14.5     |              |              | 12    |
|           | FEM4X18****     |                 | 17200                 | TDR&TXV         | 14       |              |              | 12    |
|           | FEM4X24****     |                 | 17200                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | FS(M,U)4P18**A* |                 | 17800                 | TDR             | 13.5     |              |              | 11    |
|           | FS(M,U)4P24**A* |                 | 17800                 | TDR             | 13.5     |              |              | 11    |
|           | FS(M,U)4X18**** |                 | 17200                 | TDR&TXV         | 13       |              |              | 10.9  |
|           | FS(M,U)4X24**** |                 | 18000                 | TDR&TXV         | 13       |              |              | 10.9  |
|           | FSA4X18**A*     |                 | 17200                 | TDR&TXV         | 13       |              |              | 10.9  |
|           | FSA4X24**A*     |                 | 17200                 | TDR&TXV         | 13       |              |              | 10.9  |
|           | FVM4X24****     |                 | 17200                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | FXM4X18**A*     |                 | 18000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | FXM4X24**A*     |                 | 18200                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | FXM4X30**A*     |                 | 18200                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X18*14A*    | *8MV*0701412**  | 17500                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X18*14A*    | *8MX*0451408**  | 17700                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X18*14A*    | *9MV*0401410A** | 17500                 | TDR&TXV         | 14       |              |              | 11.5  |
|           | EA*4X18*14A*    | *9MX*0401410A** | 17400                 | TDR&TXV         | 14.2     |              |              | 11.75 |
|           | EA*4X18*14A*    |                 | 17600                 | TXV             |          | 13           |              | 10.9  |
|           | EA*4X24*14A*    | *8MV*0701412**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*14A*    | *8MX*0451408**  | 18200                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*14A*    | *9MV*0401410A** | 17900                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | EA*4X24*14A*    | *9MX*0401410A** | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*14A*    |                 | 17900                 | TXV             |          | 13.2         |              | 11    |
|           | EA*4X24*17A*    | *8MV*0701412**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*17A*    | *8MV*0901716**  | 17900                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*17A*    | *8MX*0451408**  | 18200                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*17A*    | *9MA*0601714A** | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*17A*    | *9MA*0801714A** | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*17A*    | *9MV*0401410A** | 18000                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | EA*4X24*17A*    | *9MV*0601714A** | 18200                 | TDR&TXV         | 15       |              |              | 12.4  |
|           | EA*4X24*17A*    | *9MV*0801716A** | 18300                 | TDR&TXV         | 15       |              |              | 12.5  |
|           | EA*4X24*17A*    | *9MX*0401410A** | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EA*4X24*17A*    |                 | 17900                 | TXV             |          | 13.2         |              | 11    |
|           | ED*4X18B**      | *8MV*0701412**  | 17500                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ED*4X18B**      | *8MX*0451408**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ED*4X18B**      | *9MV*0401410A** | 17500                 | TDR&TXV         | 14       |              |              | 11.5  |
|           | ED*4X18B**      | *9MX*0401410A** | 17400                 | TDR&TXV         | 14.2     |              |              | 11.75 |
|           | ED*4X18B**      | MV08B15**B*     | 17200                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ED*4X18B**      | *8MPV050        | 18000                 | TDR&TXV         | 14       |              |              | 11.95 |
|           | ED*4X24B**      | *8MV*0701412**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ED*4X24B**      | *8MX*0451408**  | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ED*4X24B**      | *9MV*0401410A** | 17900                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | ED*4X24B**      | *9MX*0401410A** | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |

\* Tested Combo

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |      |    |  |       |
|-----------|------------------|-----------------|-----------------------|-----------------|------|----|--|-------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |      |    |  |       |
|           |                  |                 | Capacity              | Factory Enhance | SEER |    |  | EER   |
| Standard  | W/ Field TDR     | W/ Field TXV    |                       |                 |      |    |  |       |
| C4A318GKD | ED*4X24B**       | MV08B15**B*     | 17200                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | ED*4X24B**       | *8MPV050        | 18400                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | ED*4X24B**       |                 | 17200                 | TXV             |      | 13 |  | 10.9  |
|           | ED*4X24F**       | *8MV*0901716**  | 17800                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | ED*4X24F**       | *9MA*0601714A** | 17900                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | ED*4X24F**       | *9MA*0602120A** | 17900                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | ED*4X24F**       | *9MA*0801714A** | 17800                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | ED*4X24F**       | *9MV*0601714A** | 18200                 | TDR&TXV         | 15   |    |  | 12.4  |
|           | ED*4X24F**       | *9MV*0801716A** | 18300                 | TDR&TXV         | 15   |    |  | 12.5  |
|           | ED*4X24F**       | *9MV*0802120A** | 18600                 | TDR&TXV         | 15   |    |  | 12.5  |
|           | ED*4X24F**       | *9MV*1002120A** | 18700                 | TDR&TXV         | 15   |    |  | 12.5  |
|           | ED*4X24F**       | *9MPV050        | 18400                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | ED*4X24F**       | *9MPV075        | 18500                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | ED*4X24F**       | *9MV*1002116A** | 18400                 | TDR&TXV         | 15   |    |  | 12.5  |
|           | ED*4X24F**       | *9MVX040        | 18600                 | TDR&TXV         | 14   |    |  | 11.7  |
|           | ED*4X24F**       | *9MVX060        | 18600                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | ED*4X24F**       | OLV098A12A      | 17800                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | ED*4X24F**       | OMV098J12A      | 18000                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | ED*4X24F**       |                 | 17200                 | TXV             |      | 13 |  | 10.9  |
|           | EHD4X24A**       | *9MA*0601714A** | 18000                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EHD4X24A**       | *9MA*0602120A** | 18100                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EHD4X24A**       | *9MA*0801714A** | 17900                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EHD4X24A**       | *9MV*0401410A** | 18000                 | TDR&TXV         | 14.2 |    |  | 11.8  |
|           | EHD4X24A**       | *9MV*0601714A** | 18000                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EHD4X24A**       | *9MV*0801716A** | 18100                 | TDR&TXV         | 15   |    |  | 12.4  |
|           | EHD4X24A**       | *9MV*0802120A** | 18300                 | TDR&TXV         | 15   |    |  | 12.5  |
|           | EHD4X24A**       | *9MV*1002120A** | 18400                 | TDR&TXV         | 15   |    |  | 12.45 |
|           | EHD4X24A**       | *9MV*1202422A** | 18400                 | TDR&TXV         | 15   |    |  | 12.45 |
|           | EHD4X24A**       | *9MX*0401410A** | 17800                 | TDR&TXV         | 14.2 |    |  | 11.8  |
|           | EHD4X24A**       | MV08B15**B*     | 17200                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | EHD4X24A**       | *8MPV050        | 17200                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | EHD4X24A**       | *9MPV050        | 17200                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | EHD4X24A**       | *9MPV075        | 17200                 | TDR&TXV         | 14   |    |  | 12    |
|           | EHD4X24A**       | *9MV*1002116A** | 18300                 | TDR&TXV         | 15   |    |  | 12.4  |
|           | EHD4X24A**       | *9MVX040        | 18000                 | TDR&TXV         | 14   |    |  | 12    |
|           | EHD4X24A**       | *9MVX060        | 18000                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EHD4X24A**       | OLV098A12A      | 18000                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | EHD4X24A**       | OMV098J12A      | 18000                 | TDR&TXV         | 14.5 |    |  | 12.2  |
|           | EHD4X24A**       |                 | 17200                 | TXV             |      | 13 |  | 10.9  |
|           | EMA4X24D**       |                 | 17200                 | TXV             |      | 13 |  | 10.9  |
|           | EN(A,D)4X18*14** | *8MV*0701412**  | 17500                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EN(A,D)4X18*14** | *8MX*0451408**  | 17800                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EN(A,D)4X18*14** | *9MV*0401410A** | 17600                 | TDR&TXV         | 14   |    |  | 11.5  |
|           | EN(A,D)4X18*14** | *9MX*0401410A** | 17500                 | TDR&TXV         | 14.2 |    |  | 11.8  |
|           | EN(A,D)4X18*14** |                 | 17600                 | TXV             |      | 13 |  | 11    |
|           | EN(A,D)4X19*17** | *8MV*0701412**  | 18000                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EN(A,D)4X19*17** | *8MV*0901716**  | 18000                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EN(A,D)4X19*17** | *8MX*0451408**  | 18000                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EN(A,D)4X19*17** | *9MA*0601714A** | 18000                 | TDR&TXV         | 14.5 |    |  | 12    |
|           | EN(A,D)4X19*17** | *9MA*0801714A** | 17900                 | TDR&TXV         | 15   |    |  | 12.4  |
|           | EN(A,D)4X19*17** | *9MV*0401410A** | 18100                 | TDR&TXV         | 14.5 |    |  | 12    |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |       |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|-------|
|           |                  |                 | Cooling 95° F (35° C) |                 |          |              |              |       |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER   |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |       |
| C4A318GKD | EN(A,D)4X19*17** | *9MV*0601714A** | 18400                 | TDR&TXV         | 15       |              |              | 12.5  |
|           | EN(A,D)4X19*17** | *9MV*0801716A** | 18500                 | TDR&TXV         | 15.2     |              |              | 12.5  |
|           | EN(A,D)4X19*17** | *9MX*0401410A** | 17900                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EN(A,D)4X19*17** | *8MPV050        | 18000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EN(A,D)4X19*17** | *9MPV050        | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X19*17** | *9MVX040        | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X19*17** | OLV098A12A      | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X19*17** | OMV098J12A      | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X19*17** |                 | 18000                 | TXV             |          | 13           |              | 11    |
|           | EN(A,D)4X24*14** | *8MV*0701412**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X24*14** | *8MX*0451408**  | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X24*14** | *9MV*0401410A** | 17900                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | EN(A,D)4X24*14** | *9MX*0401410A** | 17700                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | EN(A,D)4X24*14** |                 | 17900                 | TXV             |          | 13.2         |              | 11    |
|           | EN(A,D)4X24*17** | *8MV*0901716**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X24*17** | *9MA*0601714A** | 17900                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EN(A,D)4X24*17** | *9MA*0801714A** | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EN(A,D)4X24*17** | *9MV*0401410A** | 17900                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | EN(A,D)4X24*17** | *9MV*0601714A** | 18000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EN(A,D)4X24*17** | *9MV*0801716A** | 18100                 | TDR&TXV         | 15       |              |              | 12.4  |
|           | EN(A,D)4X24*17** | *9MX*0401410A** | 17700                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | EN(A,D)4X24*17** | *9MPV050        | 18000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | EN(A,D)4X24*17** | *9MVX040        | 18000                 | TDR&TXV         | 14       |              |              | 12    |
|           | EN(A,D)4X24*17** | OLV098A12A      | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X24*17** | OMV098J12A      | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | EN(A,D)4X24*17** |                 | 17900                 | TXV             |          | 13.2         |              | 11    |
|           | ENH4X24*17**     | *8MV*0701412**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X24*17**     | *8MV*0901716**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X24*17**     | *8MX*0451408**  | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X24*17**     | *9MA*0601714A** | 17900                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X24*17**     | *9MA*0801714A** | 17800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X24*17**     | *9MV*0401410A** | 17900                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | ENH4X24*17**     | *9MV*0601714A** | 18000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X24*17**     | *9MV*0801716A** | 18100                 | TDR&TXV         | 15       |              |              | 12.4  |
|           | ENH4X24*17**     | *9MV*1202422A** | 18300                 | TDR&TXV         | 15       |              |              | 12.45 |
|           | ENH4X24*17**     | *9MX*0401410A** | 17700                 | TDR&TXV         | 14.2     |              |              | 11.8  |
|           | ENH4X24*17**     | *9MPV050        | 18000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X24*17**     | *9MV*1002116A** | 18300                 | TDR&TXV         | 15       |              |              | 12.4  |
|           | ENH4X24*17**     | *9MVX040        | 18000                 | TDR&TXV         | 14       |              |              | 12    |
|           | ENH4X24*17**     | OLV098A12A      | 17800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X24*17**     | OMV098J12A      | 18000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X24*17**     |                 | 17900                 | TXV             |          | 13.2         |              | 11    |

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

| COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models                                                                                                                                                                |                 |                 |                       |                 |          |              |              |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
| For complete ratings information, use the AHRI website directory search: <a href="http://www.AHRIdirectory.org">www.AHRIdirectory.org</a> .<br>New ratings may be listed online before Specification Sheets are updated. |                 |                 |                       |                 |          |              |              |      |
| Unit Size                                                                                                                                                                                                                | Indoor Model    | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|                                                                                                                                                                                                                          |                 |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|                                                                                                                                                                                                                          |                 |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|                                                                                                                                                                                                                          |                 |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A324GKD                                                                                                                                                                                                                | *ED*4X24B**     |                 | 23000                 | TXV             |          | 13           |              | 11   |
|                                                                                                                                                                                                                          | FEA4X24**A*     |                 | 23200                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                          | FEA4X30**A*     |                 | 23400                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|                                                                                                                                                                                                                          | FEM4P24**A*     |                 | 22800                 | TDR             | 13.5     |              |              | 11   |
|                                                                                                                                                                                                                          | FEM4P30**A*     |                 | 23600                 | TDR             | 14       |              |              | 12   |
|                                                                                                                                                                                                                          | FEM4X24****     |                 | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                          | FEM4X30****     |                 | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|                                                                                                                                                                                                                          | FS(M,U)4P24**A* |                 | 23400                 | TDR             | 13.5     |              |              | 11.5 |
|                                                                                                                                                                                                                          | FS(M,U)4P30**A* |                 | 23600                 | TDR             | 13.5     |              |              | 11   |
|                                                                                                                                                                                                                          | FS(M,U)4X24**** |                 | 22800                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | FS(M,U)4X30**** |                 | 23000                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | FSA4X24**A*     |                 | 22600                 | TDR&TXV         | 13       |              |              | 10.9 |
|                                                                                                                                                                                                                          | FSA4X30**A*     |                 | 23000                 | TDR&TXV         | 13       |              |              | 10.9 |
|                                                                                                                                                                                                                          | FVM4X24****     |                 | 22600                 | TDR&TXV         | 14       |              |              | 12   |
|                                                                                                                                                                                                                          | FVM4X36****     |                 | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|                                                                                                                                                                                                                          | FXM4X24**A*     |                 | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | FXM4X30**A*     |                 | 23400                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | FXM4X36**A*     |                 | 23600                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*14A*    | *8MV*0701412**  | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*14A*    | *8MX*0451408**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*14A*    | *9MV*0401410A** | 22800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X24*14A*    | *9MX*0401410A** | 23000                 | TDR&TXV         | 13.3     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X24*14A*    |                 | 23000                 | TXV             |          | 13           |              | 11   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *8MV*0701412**  | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *8MV*0901716**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *8MX*0451408**  | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *9MA*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *9MA*0801714A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *9MV*0401410A** | 22800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *9MV*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *9MV*0801716A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *9MX*0401410A** | 23000                 | TDR&TXV         | 13.3     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    | *9MX*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X24*17A*    |                 | 23000                 | TXV             |          | 13           |              | 11   |
|                                                                                                                                                                                                                          | EA*4X30*14A*    | *8MV*0701412**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*14A*    | *8MX*0451408**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*14A*    | *9MV*0401410A** | 23000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X30*14A*    | *9MX*0401410A** | 23200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X30*14A*    |                 | 23200                 | TXV             |          | 13           |              | 11   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *8MV*0701412**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *8MV*0901716**  | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *8MX*0451408**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *9MA*0801714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *9MV*0401410A** | 23000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *9MV*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *9MV*0801716A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X30*17A*    | *9MX*0401410A** | 23400                 | TDR&TXV         | 13.5     |              |              | 11.2 |

\* Tested Combo

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A324GKD | EA*4X30*17A* | *9MX*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X30*17A* |                 | 23200                 | TXV             |          | 13           |              | 11   |
|           | EA*4X36*17A* |                 | 23200                 | TXV             |          | 13           |              | 11   |
|           | EA*4X36*21A* | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* | *9MA*0602120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* | *9MA*0801714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* | *9MA*0802120A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EA*4X36*21A* | *9MA*1002122A** | 23600                 | TDR&TXV         | 15       |              |              | 12.2 |
|           | EA*4X36*21A* | *9MV*0802120A** | 23800                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EA*4X36*21A* | *9MV*1002120A** | 24000                 | TDR&TXV         | 15       |              |              | 12.2 |
|           | EA*4X36*21A* | *9MA*1002120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* |                 | 23400                 | TXV             |          | 13           |              | 11   |
|           | ED*4X24B**   | *8MV*0701412**  | 22800                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X24B**   | *8MX*0451408**  | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X24B**   | *9MV*0401410A** | 22800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X24B**   | *9MX*0401410A** | 23000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | ED*4X24B**   | MV08B15**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X24B**   | *8MPV050        | 22800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X24F**   | *8MV*0901716**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X24F**   | *9MA*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MA*0602120A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MA*0801714A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MA*0802120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MA*1002122A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MV*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MV*0801716A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MV*0802120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MV*1002120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MX*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | MV12F19**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X24F**   | *8MPV075        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X24F**   | *9MA*1002120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MPV050        | 22800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X24F**   | *9MPV075        | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X24F**   | *9MV*1002116A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   | *9MVX040        | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X24F**   | *9MVX060        | 23200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X24F**   | OLV098A12A      | 23200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X24F**   | OMV098J12A      | 23200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X24F**   | OMV112K14A      | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X24F**   |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | ED*4X30B**   | *8MV*0701412**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30B**   | *8MX*0451408**  | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30B**   | *9MV*0401410A** | 23000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X30B**   | *9MX*0401410A** | 23200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X30B**   | MV08B15**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X30B**   | *8MPV050        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30B**   |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | ED*4X30F**   | *8MV*0901716**  | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X30F**   | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A324GKD | ED*4X30F**   | *9MA*0602120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MA*0801714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MA*0802120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MA*1002122A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X30F**   | *9MV*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MV*0801716A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MV*0802120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MV*1002120A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X30F**   | *9MX*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | MV12F19**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X30F**   | *8MPV075        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30F**   | *9MA*1002120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MPV050        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30F**   | *9MPV075        | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X30F**   | *9MV*1002116A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MVX040        | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30F**   | *9MVX060        | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30F**   | OLV098A12A      | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | OMV098J12A      | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30F**   | OMV112K14A      | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X30F**   |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | ED*4X36F**   | *8MX*0451408**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X36F**   | *9MA*0602120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36F**   | *9MA*0802120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X36F**   | *9MA*1002122A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X36F**   | *9MV*0802120A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X36F**   | *9MV*1002120A** | 23800                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X36J**   |                 | 23200                 | TXV             |          | 13           |              | 11   |
|           | EHD4X24A**   | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X24A**   | *9MA*0602120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MA*0801714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MA*0802120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MA*1002122A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MA*1202422A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MV*0401410A** | 23000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X24A**   | *9MV*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MV*0801716A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MV*0802120A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MV*1002120A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**   | MV08B15**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**   | MV12F19**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**   | *8MPV050        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X24A**   | *9MV*1202422A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MX*0401410A** | 23200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X24A**   | *9MX*0601714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | MV08B15**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X24A**   | MV12F19**B*     | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X24A**   | *8MPV050        | 22800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X24A**   | *8MPV075        | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X24A**   | *8MPV100        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X24A**   | *8MPV125        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X24A**   | *9MA*1002120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**   | *9MPV050        | 22800                 | TDR&TXV         | 14       |              |              | 11.7 |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A324GKD | EHD4X24A**       | *9MPV075        | 23000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X24A**       | *9MPV100        | 23000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X24A**       | *9MPV125        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X24A**       | *9MV*1002116A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**       | *9MVX040        | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X24A**       | *9MVX060        | 23200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X24A**       | *9MVX080        | 23200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X24A**       | *9MVX100        | 23200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X24A**       | OLV098A12A      | 23400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X24A**       | OMV098J12A      | 23400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X24A**       | OMV112K14A      | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X24A**       |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | EHD4X30A**       | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MA*0602120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MA*0801714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MA*0802120A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**       | *9MA*1002122A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**       | *9MA*1202422A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MV*0401410A** | 23200                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X30A**       | *9MV*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MV*0801716A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MV*0802120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MV*1002120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**       | *9MV*1202422A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MX*0401410A** | 23400                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X30A**       | *9MX*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *8MPV075        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X30A**       | *8MPV100        | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**       | *8MPV125        | 23000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**       | *9MA*1002120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MPV050        | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**       | *9MPV075        | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**       | *9MPV100        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X30A**       | *9MPV125        | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X30A**       | *9MV*1002116A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | *9MVX040        | 23400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**       | *9MVX060        | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X30A**       | *9MVX080        | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X30A**       | *9MVX100        | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**       | OLV098A12A      | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**       | OMV098J12A      | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X30A**       | OMV112K14A      | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X30A**       |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | EMA4X24D**       |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X24*14** | *8MV*0701412**  | 22800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X24*14** | *8MX*0451408**  | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X24*14** | *9MV*0401410A** | 22800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X24*14** | *9MX*0401410A** | 23000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | EN(A,D)4X24*14** |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X24*17** | *8MV*0901716**  | 22800                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X24*17** | *9MA*0601714A** | 22800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X24*17** | *9MA*0801714A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A324GKD | EN(A,D)4X24*17** | *9MV*0401410A** | 22800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X24*17** | *9MV*0601714A** | 22800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X24*17** | *9MV*0801716A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X24*17** | *9MX*0401410A** | 23000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | EN(A,D)4X24*17** | *9MX*0601714A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X24*17** | *9MPV050        | 23000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X24*17** | *9MVX040        | 23000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X24*17** | OLV098A12A      | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X24*17** | OMV098J12A      | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X24*17** | OMV112K14A      | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X24*17** |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X30*14** | *8MV*0701412**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X30*14** | *8MX*0451408**  | 23200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X30*14** | *9MV*0401410A** | 23000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X30*14** | *9MX*0401410A** | 23200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X30*14** |                 | 23200                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X30*17** | *8MV*0901716**  | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X30*17** | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X30*17** | *9MA*0801714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X30*17** | *9MV*0401410A** | 23000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X30*17** | *9MV*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X30*17** | *9MV*0801716A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X30*17** | *9MX*0401410A** | 23400                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X30*17** | *9MX*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X30*17** | *9MPV050        | 23400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X30*17** | *9MPV075        | 23400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X30*17** | *9MVX040        | 23400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X30*17** | *9MVX060        | 23600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X30*17** | OLV098A12A      | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X30*17** | OMV098J12A      | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X30*17** | OMV112K14A      | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X30*17** |                 | 23200                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X31*17** | *8MV*0701412**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *8MV*0901716**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *8MX*0451408**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MA*0601714A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MA*0801714A** | 23400                 | TDR&TXV         | 15       |              |              | 12.4 |
|           | EN(A,D)4X31*17** | *9MV*0401410A** | 23600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X31*17** | *9MV*0601714A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MV*0801716A** | 23800                 | TDR&TXV         | 15       |              |              | 12.5 |
|           | EN(A,D)4X31*17** | *9MX*0401410A** | 23800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X31*17** | *9MX*0601714A** | 23800                 | TDR&TXV         | 15       |              |              | 12.5 |
|           | EN(A,D)4X31*17** | *8MPV050        | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X31*17** | *8MPV075        | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MPV050        | 23800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MPV075        | 23800                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MVX040        | 23800                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MVX060        | 23800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | OLV098A12A      | 23800                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X31*17** | OMV098J12A      | 23800                 | TDR&TXV         | 14.5     |              |              | 12.2 |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A324GKD | EN(A,D)4X31*17**   | OMV112K14A      | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X31*17**   |                 | 23400                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X36*21**   | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X36*21**   | *9MA*0602120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X36*21**   | *9MA*0801714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X36*21**   | *9MA*0802120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X36*21**   | *9MA*1002122A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X36*21**   | *9MV*0802120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X36*21**   | *9MV*1002120A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X36*21**   | *9MA*1002120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X36*17** | *8MX*0451408**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ENH4X24*17**       | *8MV*0701412**  | 22800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X24*17**       | *8MV*0901716**  | 22800                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X24*17**       | *8MV*1102120**  | 22800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X24*17**       | *8MV*1352422**  | 22800                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X24*17**       | *8MX*0451408**  | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X24*17**       | *9MA*0601714A** | 22800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X24*17**       | *9MA*0801714A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X24*17**       | *9MA*1202422A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X24*17**       | *9MV*0401410A** | 22800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X24*17**       | *9MV*0601714A** | 22800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X24*17**       | *9MV*0801716A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X24*17**       | *9MV*1202422A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X24*17**       | *9MX*0401410A** | 23000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | ENH4X24*17**       | *9MX*0601714A** | 22800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X24*17**       | *9MA*1002120A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X24*17**       | *9MPV050        | 23000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X24*17**       | *9MV*1002116A** | 22600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X24*17**       | *9MVX040        | 23000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X24*17**       | OLV098A12A      | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X24*17**       | OMV098J12A      | 23000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X24*17**       | OMV112K14A      | 23000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X24*17**       |                 | 23000                 | TXV             |          | 13           |              | 11   |
|           | ENH4X30*17**       | *8MV*0701412**  | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *8MV*0901716**  | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ENH4X30*17**       | *8MV*1102120**  | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ENH4X30*17**       | *8MV*1352422**  | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ENH4X30*17**       | *8MX*0451408**  | 23400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X30*17**       | *9MA*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MA*0801714A** | 23000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MA*1202422A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MV*0401410A** | 23000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X30*17**       | *9MV*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MV*0801716A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MV*1202422A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MX*0401410A** | 23400                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X30*17**       | *9MX*0601714A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MA*1002120A** | 23400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X30*17**       | *9MPV050        | 23400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17**       | *9MPV075        | 23600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17**       | *9MPV100        | 23800                 | TDR&TXV         | 14       |              |              | 12   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |       |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|-------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |       |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER   |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |       |
| C4A324GKD | ENH4X30*17** | *9MPV125        | 23800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X30*17** | *9MV*1002116A** | 23200                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X30*17** | *9MVX040        | 23400                 | TDR&TXV         | 14       |              |              | 11.7  |
|           | ENH4X30*17** | *9MVX060        | 23600                 | TDR&TXV         | 14       |              |              | 11.7  |
|           | ENH4X30*17** | *9MVX080        | 24000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X30*17** | *9MVX100        | 23800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X30*17** | OLV098A12A      | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X30*17** | OMV098J12A      | 23400                 | TDR&TXV         | 14       |              |              | 12    |
|           | ENH4X30*17** | OMV112K14A      | 23200                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X30*17** |                 | 23200                 | TXV             |          | 13           |              | 11    |
|           | ENH4X31*17** | *8MV*0701412**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *8MV*0901716**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *8MV*1102120**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *8MV*1352422**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *8MX*0451408**  | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *9MA*0601714A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *9MA*0801714A** | 23400                 | TDR&TXV         | 15       |              |              | 12.45 |
|           | ENH4X31*17** | *9MA*1202422A** | 23800                 | TDR&TXV         | 15       |              |              | 12.5  |
|           | ENH4X31*17** | *9MV*0401410A** | 23600                 | TDR&TXV         | 14       |              |              | 11.5  |
|           | ENH4X31*17** | *9MV*0601714A** | 23600                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *9MV*0801716A** | 23800                 | TDR&TXV         | 15       |              |              | 12.5  |
|           | ENH4X31*17** | *9MV*1202422A** | 24000                 | TDR&TXV         | 15.2     |              |              | 12.5  |
|           | ENH4X31*17** | *9MX*0401410A** | 23800                 | TDR&TXV         | 13.7     |              |              | 11.4  |
|           | ENH4X31*17** | *9MX*0601714A** | 23800                 | TDR&TXV         | 15       |              |              | 12.45 |
|           | ENH4X31*17** | *8MPV050        | 23400                 | TDR&TXV         | 14       |              |              | 12    |
|           | ENH4X31*17** | *8MPV075        | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *8MPV100        | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *8MPV125        | 23400                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *9MA*1002120A** | 23800                 | TDR&TXV         | 15       |              |              | 12.45 |
|           | ENH4X31*17** | *9MPV050        | 23800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *9MPV075        | 23800                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *9MPV100        | 24000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X31*17** | *9MPV125        | 24000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X31*17** | *9MV*1002116A** | 23600                 | TDR&TXV         | 15       |              |              | 12.5  |
|           | ENH4X31*17** | *9MVX040        | 23800                 | TDR&TXV         | 14       |              |              | 12    |
|           | ENH4X31*17** | *9MVX060        | 24000                 | TDR&TXV         | 14.5     |              |              | 12    |
|           | ENH4X31*17** | *9MVX080        | 24000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X31*17** | *9MVX100        | 24000                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X31*17** | OLV098A12A      | 23800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X31*17** | OMV098J12A      | 23800                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X31*17** | OMV112K14A      | 23600                 | TDR&TXV         | 14.5     |              |              | 12.2  |
|           | ENH4X31*17** |                 | 23400                 | TXV             |          | 13           |              | 11    |

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

**COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models**

For complete ratings information, use the AHRI website directory search: [www.AHRIdirectory.org](http://www.AHRIdirectory.org).  
New ratings may be listed online before Specification Sheets are updated.

| Unit Size | Indoor Model    | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|-----------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                 |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                 |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                 |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | *ED*4X30B**     |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | FEA4X30**A*     |                 | 27600                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | FEA4X36**A*     |                 | 27800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | FEM4P30**A*     |                 | 27400                 | TDR             | 13.5     |              |              | 11   |
|           | FEM4P36**A*     |                 | 27400                 | TDR             | 13       |              |              | 11   |
|           | FEM4X30****     |                 | 27200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | FEM4X36****     |                 | 27200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | FS(M,U)4P30**A* |                 | 27600                 | TDR             | 13       |              |              | 11   |
|           | FS(M,U)4P36**A* |                 | 27600                 | TDR             | 13       |              |              | 11   |
|           | FS(M,U)4X30**** |                 | 27000                 | TDR&TXV         | 13       |              |              | 10.8 |
|           | FSA4X30**A*     |                 | 27000                 | TDR&TXV         | 13.05    |              |              | 10.7 |
|           | FSA4X36**A*     |                 | 27200                 | TDR&TXV         | 13       |              |              | 10.8 |
|           | FSM4X36****     |                 | 27200                 | TDR&TXV         | 13       |              |              | 10.8 |
|           | FSU4X36****     |                 | 27800                 | TDR&TXV         | 13       |              |              | 10.7 |
|           | FVM4X24****     |                 | 26800                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | FVM4X36****     |                 | 27200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | FVM4X48****     |                 | 27200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | FXM4X30**A*     |                 | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | FXM4X36**A*     |                 | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | FXM4X42**A*     |                 | 28200                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EA*4X30*14A*    | *8MV*0701412**  | 27200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X30*14A*    |                 | 27400                 | TXV             |          | 13           |              | 10.9 |
|           | EA*4X30*17A*    | *8MV*0701412**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X30*17A*    | *8MV*0901716**  | 27400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X30*17A*    | *8MX*0701716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X30*17A*    | *9MA*0601714A** | 27200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X30*17A*    | *9MA*0801714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X30*17A*    | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X30*17A*    | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X30*17A*    | *9MX*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X30*17A*    | *9MX*0801716A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X30*17A*    |                 | 27400                 | TXV             |          | 13           |              | 10.8 |
|           | EA*4X36*14A*    | *8MV*0701412**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*14A*    |                 | 27400                 | TXV             |          | 13           |              | 10.8 |
|           | EA*4X36*17A*    | *8MV*0701412**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*17A*    | *8MV*0901716**  | 27400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*17A*    | *8MX*0701716**  | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*17A*    | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*17A*    | *9MA*0801714A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*17A*    | *9MV*0601714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*17A*    | *9MV*0801716A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*17A*    | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*17A*    | *9MX*0801716A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*17A*    |                 | 27600                 | TXV             |          | 13           |              | 10.8 |
|           | EA*4X36*21A*    | *8MV*0901716**  | 27400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A*    | *8MV*1102120**  | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A*    | *8MX*0701716**  | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*21A*    | *8MX*0902116**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A*    | *9MA*0601714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |

\* Tested Combo

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | EA*4X36*21A* | *9MA*0602120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MA*0801714A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MA*0802120A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* | *9MA*1002122A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* | *9MV*0601714A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MV*0801716A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MV*0802120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* | *9MV*1002120A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X36*21A* | *9MX*0601714A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MX*0801716A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MV*1002116A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* |                 | 27600                 | TXV             |          | 13           |              | 10.8 |
|           | EA*4X42*21A* | *9MA*0602120A** | 27800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X42*21A* | *9MA*0802120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *9MA*1002122A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *9MV*0802120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 11.7 |
|           | EA*4X42*21A* | *9MV*1002120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 11.7 |
|           | EA*4X42*21A* |                 | 27600                 | TXV             |          | 13           |              | 11   |
|           | EA*4X42*24A* |                 | 27600                 | TXV             |          | 13           |              | 11   |
|           | ED*4X30B**   | *8MV*0701412**  | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X30B**   | MV08B15**B*     | 27200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30B**   | *8MPV050        | 27200                 | TDR&TXV         | 13       |              |              | 11   |
|           | ED*4X30F**   | *8MV*0901716**  | 27400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X30F**   | *8MX*0701716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X30F**   | *9MA*0601714A** | 27200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | *9MA*0602120A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | *9MA*0801714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X30F**   | *9MA*0802120A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | *9MA*1002122A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X30F**   | *9MV*0802120A** | 27400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MV*1002120A** | 27200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X30F**   | *9MX*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | *9MX*0801716A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | MV12F19**B*     | 27200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X30F**   | *8MPV075        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X30F**   | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X30F**   | *9MPV050        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X30F**   | *9MPV075        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X30F**   | *9MV*1002116A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X30F**   | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X30F**   | *9MVX060        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X30F**   | OLV098A12A      | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | OLV112A16A      | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X30F**   | OMV098J12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ED*4X30F**   | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X30F**   |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | ED*4X36B**   | *8MV*0701412**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36B**   | MV08B15**B*     | 27200                 | TDR&TXV         | 14       |              |              | 12   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95°F (35°C)   |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | ED*4X36B**   | *8MPV050        | 27200                 | TDR&TXV         | 13       |              |              | 11   |
|           | ED*4X36B**   |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | ED*4X36F**   | *8MV*0901716**  | 27400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36F**   | *8MX*0701716**  | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36F**   | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | *9MA*0602120A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | *9MA*0801714A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MA*0801714A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MA*0802120A** | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36F**   | *9MA*1002122A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36F**   | *9MV*0601714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MV*0801716A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MV*0802120A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36F**   | *9MV*1002120A** | 27400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36F**   | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | *9MX*0801716A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MX*0801716A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | MV12F19**B*     | 27200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X36F**   | *8MPV075        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36F**   | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MPV050        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X36F**   | *9MPV075        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X36F**   | *9MV*1002116A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X36F**   | *9MVX060        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X36F**   | OLV098A12A      | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | OLV112A16A      | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | OMV098J12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X36F**   | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36F**   |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | ED*4X36J**   | *8MV*1102120**  | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *8MX*0902116**  | 27800                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X36J**   | *9MA*0602120A** | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36J**   | *9MA*0802120A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MA*1002122A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MA*1202422A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MV*1002120A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MV*1202422A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *8MPV100        | 27200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *8MPV125        | 27200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X36J**   | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36J**   | *9MPV100        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36J**   | *9MV*1002116A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36J**   | *9MVX080        | 27800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36J**   | OLV112A16A      | 27800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36J**   |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | ED*4X42F**   | *9MA*0602120A** | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42F**   | *9MA*0802120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | ED*4X42F**   | *9MA*1002122A** | 27800                 | TDR&TXV         | 14.5     |              |              | 11.7 |
|           | ED*4X42F**   | *9MV*0802120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42F**   | *9MV*1002120A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**   | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   | *9MA*0602120A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   | *9MA*0801714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   | *9MA*0802120A** | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**   | *9MA*1002122A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X30A**   | *9MA*1202422A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X30A**   | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X30A**   | *9MV*0802120A** | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**   | *9MV*1002120A** | 27200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X30A**   | *9MV*1202422A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X30A**   | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   | *9MX*0801716A** | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   | MV08B15**B*     | 27200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X30A**   | MV12F19**B*     | 27200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X30A**   | *8MPV050        | 27200                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X30A**   | *8MPV075        | 27200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   | *8MPV100        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**   | *8MPV125        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**   | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X30A**   | *9MPV050        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X30A**   | *9MPV075        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X30A**   | *9MPV100        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**   | *9MPV125        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**   | *9MV*1002116A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X30A**   | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X30A**   | *9MVX060        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X30A**   | *9MVX080        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X30A**   | *9MVX100        | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X30A**   | OLV098A12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EHD4X30A**   | OLV112A16A      | 27800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X30A**   | OMV098J12A      | 27600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EHD4X30A**   | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X30A**   |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | EHD4X36A**   | *9MA*0601714A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MA*0602120A** | 28000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MA*0801714A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MA*0802120A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MA*1002122A** | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MA*1202422A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MV*0601714A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MV*0801716A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MV*0802120A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MV*1002120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MV*1202422A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MX*0601714A** | 28000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MX*0801716A** | 28200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | MV08B15**B*     | 27200                 | TDR&TXV         | 14       |              |              | 12   |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95°F (35°C)   |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | EHD4X36A**       | MV12F19**B*     | 27200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X36A**       | *8MPV050        | 27200                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X36A**       | *8MPV075        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**       | *8MPV100        | 27200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**       | *8MPV125        | 27200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**       | *9MA*1002120A** | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**       | *9MPV050        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X36A**       | *9MPV075        | 27200                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X36A**       | *9MPV100        | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**       | *9MPV125        | 27200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X36A**       | *9MV*1002116A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**       | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X36A**       | *9MVX060        | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X36A**       | *9MVX080        | 27800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**       | *9MVX100        | 27800                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X36A**       | OLV098A12A      | 28000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**       | OLV112A16A      | 28200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**       | OMV098J12A      | 28000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X36A**       | OMV112K14A      | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**       |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | EMA4X36D**       |                 | 27200                 | TXV             |          | 13           |              | 10.8 |
|           | EN(A,D)4X30*14** | *8MV*0701412**  | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X30*14** |                 | 27400                 | TXV             |          | 13           |              | 10.8 |
|           | EN(A,D)4X30*17** | *8MV*0901716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X30*17** | *8MX*0701716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X30*17** | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X30*17** | *9MA*0801714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X30*17** | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X30*17** | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X30*17** | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X30*17** | *9MX*0801716A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X30*17** | *9MPV050        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X30*17** | *9MPV075        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X30*17** | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X30*17** | *9MVX060        | 27600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X30*17** | OLV098A12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X30*17** | OMV098J12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X30*17** | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X30*17** |                 | 27400                 | TXV             |          | 13           |              | 10.9 |
|           | EN(A,D)4X31*17** | *8MV*0701412**  | 27800                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X31*17** | *8MV*0901716**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *8MX*0701716**  | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X31*17** | *9MA*0601714A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X31*17** | *9MA*0801714A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MV*0601714A** | 28000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X31*17** | *9MV*0801716A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** | *9MX*0601714A** | 28200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X31*17** | *9MX*0801716A** | 28400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X31*17** | *8MPV050        | 27800                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X31*17** | *8MPV075        | 28000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X31*17** | *9MPV050        | 28000                 | TDR&TXV         | 13.5     |              |              | 11.5 |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | EN(A,D)4X31*17** | *9MPV075        | 28000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X31*17** | *9MVX040        | 28000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X31*17** | *9MVX060        | 28200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X31*17** | OLV098A12A      | 28000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X31*17** | OMV098J12A      | 28000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X31*17** | OMV112K14A      | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X31*17** |                 | 27800                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X36*21** | *8MV*1102120**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X36*21** | *8MX*0902116**  | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X36*21** | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MA*0602120A** | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X36*21** | *9MA*0801714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X36*21** | *9MA*0802120A** | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X36*21** | *9MA*1002122A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X36*21** | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X36*21** | *9MV*0802120A** | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X36*21** | *9MV*1002120A** | 27200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X36*21** | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MX*0801716A** | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X36*21** | *9MPV050        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MPV075        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MPV100        | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MV*1002116A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X36*21** | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MVX060        | 27600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MVX080        | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | OLV098A12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X36*21** | OLV112A16A      | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | OMV098J12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X36*21** |                 | 27400                 | TXV             |          | 13           |              | 10.8 |
|           | EN(A,D)4X37*17** | *8MV*0701412**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *8MV*0901716**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *8MX*0701716**  | 27800                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MA*0601714A** | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MA*0801714A** | 28400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MV*0601714A** | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MV*0801716A** | 28400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MX*0601714A** | 28400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MX*0801716A** | 28600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *8MPV050        | 27800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X37*17** | *8MPV075        | 27800                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MPV050        | 28400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X37*17** | *9MPV075        | 28400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X37*17** | *9MVX040        | 28400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X37*17** | *9MVX060        | 28600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X37*17** | OLV098A12A      | 28200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X37*17** | OMV098J12A      | 28200                 | TDR&TXV         | 14       |              |              | 11.7 |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95°F (35°C)   |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | EN(A,D)4X37*17**   | OMV112K14A      | 28400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17**   |                 | 28000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D,W)4X36*17** | *8MV*0901716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X36*17** | *8MX*0701716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *9MA*0801714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X36*17** | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X36*17** | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *9MX*0801716A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *9MPV050        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MPV075        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MVX060        | 27600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | OLV098A12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | OMV098J12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X36*17** |                 | 27400                 | TXV             |          | 13           |              | 10.8 |
|           | EN(A,D,W)4X42*21** | *9MA*0602120A** | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MA*0802120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *9MA*1002122A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *9MV*0802120A** | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *9MV*1002120A** | 27600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** |                 | 27600                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D,W)4X48*21** | *8MX*0902116**  | 28400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | END4X42*17**       | *8MV*0901716**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | END4X42*17**       |                 | 27600                 | TXV             |          | 13           |              | 11   |
|           | ENH4X30*17**       | *8MV*0701412**  | 27200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17**       | *8MV*0901716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17**       | *8MV*1102120**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17**       | *8MV*1352422**  | 27400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X30*17**       | *8MX*0701716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X30*17**       | *8MX*0902116**  | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17**       | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X30*17**       | *9MA*0801714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X30*17**       | *9MA*1202422A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X30*17**       | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X30*17**       | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X30*17**       | *9MV*1202422A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X30*17**       | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X30*17**       | *9MX*0801716A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X30*17**       | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X30*17**       | *9MPV050        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X30*17**       | *9MPV075        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X30*17**       | *9MPV100        | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X30*17**       | *9MPV125        | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17**       | *9MV*1002116A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X30*17**       | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X30*17**       | *9MVX060        | 27600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X30*17**       | *9MVX080        | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X30*17**       | *9MVX100        | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95°F (35°C)   |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | ENH4X30*17** | OLV098A12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X30*17** | OLV112A16A      | 27600                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X30*17** | OMV098J12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X30*17** | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X30*17** |                 | 27400                 | TXV             |          | 13           |              | 10.9 |
|           | ENH4X31*17** | *8MV*0701412**  | 27800                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X31*17** | *8MV*0901716**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *8MV*1102120**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *8MV*1352422**  | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *8MX*0701716**  | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X31*17** | *8MX*0902116**  | 27800                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X31*17** | *9MA*0601714A** | 27800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X31*17** | *9MA*0801714A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MA*1202422A** | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MV*0601714A** | 28000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X31*17** | *9MV*0801716A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MV*1202422A** | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MX*0601714A** | 28200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X31*17** | *9MX*0801716A** | 28400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X31*17** | *8MPV050        | 27800                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X31*17** | *8MPV075        | 27800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X31*17** | *8MPV100        | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *8MPV125        | 27800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MA*1002120A** | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MPV050        | 28000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X31*17** | *9MPV075        | 28000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X31*17** | *9MPV100        | 28400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X31*17** | *9MPV125        | 28400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MV*1002116A** | 28000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | *9MVX040        | 28000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X31*17** | *9MVX060        | 28200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X31*17** | *9MVX080        | 28400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X31*17** | *9MVX100        | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** | OLV098A12A      | 28000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X31*17** | OLV112A16A      | 28200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X31*17** | OMV098J12A      | 28000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X31*17** | OMV112K14A      | 28200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X31*17** |                 | 27800                 | TXV             |          | 13           |              | 11   |
|           | ENH4X36*17** | *8MV*0701412**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X36*17** | *8MV*0901716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X36*17** | *8MV*1102120**  | 27400                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X36*17** | *8MV*1352422**  | 27400                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X36*17** | *8MX*0701716**  | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *8MX*0902116**  | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X36*17** | *9MA*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MA*0801714A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17** | *9MA*1202422A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17** | *9MV*0601714A** | 27400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MV*0801716A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17** | *9MV*1202422A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17** | *9MX*0601714A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95°F (35°C)   |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A330GKD | ENH4X36*17** | *9MX*0801716A** | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MA*1002120A** | 27600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17** | *9MPV050        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17** | *9MPV075        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17** | *9MPV100        | 27600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MPV125        | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X36*17** | *9MV*1002116A** | 27400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17** | *9MVX040        | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17** | *9MVX060        | 27600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17** | *9MVX080        | 27800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MVX100        | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X36*17** | OLV098A12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X36*17** | OLV112A16A      | 27600                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X36*17** | OMV098J12A      | 27400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17** | OMV112K14A      | 27600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X36*17** |                 | 27400                 | TXV             |          | 13           |              | 10.8 |

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

| COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models                                                                                                                                                                |                 |                 |                       |                 |          |              |              |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
| For complete ratings information, use the AHRI website directory search: <a href="http://www.AHRIdirectory.org">www.AHRIdirectory.org</a> .<br>New ratings may be listed online before Specification Sheets are updated. |                 |                 |                       |                 |          |              |              |      |
| Unit Size                                                                                                                                                                                                                | Indoor Model    | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|                                                                                                                                                                                                                          |                 |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|                                                                                                                                                                                                                          |                 |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|                                                                                                                                                                                                                          |                 |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD                                                                                                                                                                                                                | *ED*4X36F**     |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|                                                                                                                                                                                                                          | FEA4X36**A*     |                 | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|                                                                                                                                                                                                                          | FEM4P36**A*     |                 | 32600                 | TDR             | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | FEM4P42**A*     |                 | 34000                 | TDR             | 13.5     |              |              | 11.5 |
|                                                                                                                                                                                                                          | FEM4X36****     |                 | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                          | FEM4X42****     |                 | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                          | FS(M,U)4P36**A* |                 | 33000                 | TDR             | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | FS(M,U)4P42**A* |                 | 33800                 | TDR             | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | FS(M,U)4X42**** |                 | 35200                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | FSA4X36**A*     |                 | 35200                 | TDR&TXV         | 13       |              |              | 10.8 |
|                                                                                                                                                                                                                          | FSM4X36****     |                 | 35200                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | FSU4X36****     |                 | 35200                 | TDR&TXV         | 13       |              |              | 10.8 |
|                                                                                                                                                                                                                          | FVM4X24****     |                 | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|                                                                                                                                                                                                                          | FVM4X36****     |                 | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | FVM4X48****     |                 | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|                                                                                                                                                                                                                          | FVM4X60****     |                 | 35200                 | TDR&TXV         | 15       |              |              | 12.5 |
|                                                                                                                                                                                                                          | FXM4X36**A*     |                 | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | FXM4X42**A*     |                 | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | FXM4X48**A*     |                 | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X36*14A*    | *8MV*0701412**  | 35000                 | TDR&TXV         | 14       |              |              | 11.3 |
|                                                                                                                                                                                                                          | EA*4X36*14A*    | *8MX*0451408**  | 35000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X36*14A*    |                 | 35000                 | TXV             |          | 13           |              | 10.9 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *8MV*0701412**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *8MV*0901716**  | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *8MX*0451408**  | 35200                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *8MX*0701716**  | 35200                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *9MA*0601714A** | 34600                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *9MA*0801714A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *9MV*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *9MV*0801716A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *9MX*0601714A** | 35200                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    | *9MX*0801716A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X36*17A*    |                 | 35400                 | TXV             |          | 13           |              | 10.9 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *8MV*0901716**  | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *8MV*1102120**  | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *8MX*0701716**  | 35200                 | TDR&TXV         | 14       |              |              | 11.3 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *8MX*0902116**  | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *8MX*1102120**  | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MA*0601714A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MA*0602120A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MA*0801714A** | 34800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MA*0802120A** | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MA*1002122A** | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MV*0601714A** | 35200                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MV*0801716A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MV*0802120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                          | EA*4X36*21A*    | *9MV*1002120A** | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |

\* Tested Combo

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | EA*4X36*21A* | *9MX*0601714A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*21A* | *9MX*0801716A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X36*21A* | *9MX*1002120A** | 35800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X36*21A* | *9MA*1002120A** | 35000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* | *9MV*1002116A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X36*21A* |                 | 35400                 | TXV             |          | 13           |              | 10.9 |
|           | EA*4X42*21A* | *8MV*0901716**  | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *8MV*1102120**  | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *8MX*0701716**  | 35600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*21A* | *8MX*0902116**  | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *8MX*1102120**  | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *9MA*0601714A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*21A* | *9MA*0602120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*21A* | *9MA*0801714A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*21A* | *9MA*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *9MA*1002122A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *9MV*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*21A* | *9MV*0801716A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*21A* | *9MV*0802120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *9MV*1002120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*21A* | *9MX*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*21A* | *9MX*0801716A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*21A* | *9MX*1002120A** | 36200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X42*21A* | *9MA*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*21A* | *9MV*1002116A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*21A* |                 | 35600                 | TXV             |          | 13           |              | 11   |
|           | EA*4X42*24A* | *8MV*1102120**  | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *8MV*1352422**  | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *8MX*0902116**  | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *8MX*1102120**  | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MA*0602120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X42*24A* | *9MA*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MA*1002122A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MA*1202422A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MV*0802120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MV*1002120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MV*1202422A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MX*1002120A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X42*24A* | *9MA*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*24A* | *9MV*1002116A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*24A* |                 | 35600                 | TXV             |          | 13           |              | 11   |
|           | ED*4X36B**   | MV08B15**B*     | 34600                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36B**   | *8MPV050        | 34000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X36B**   |                 | 34200                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X36F**   | *9MA*0601714A** | 34600                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X36F**   | *9MA*0602120A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | *9MA*0801714A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | *9MA*0802120A** | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36F**   | *9MA*1002122A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MV*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X36F**   | *9MV*0801716A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | ED*4X36F**   | *9MV*0802120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36F**   | *9MV*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MX*0601714A** | 35200                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X36F**   | *9MX*0801716A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36F**   | MV12F19**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36F**   | *8MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X36F**   | *9MA*1002120A** | 35000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MPV050        | 35000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X36F**   | *9MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X36F**   | *9MV*1002116A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36F**   | *9MVX040        | 35000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X36F**   | *9MVX060        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X36F**   | OLV098A12A      | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X36F**   | OLV112A16A      | 34600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ED*4X36F**   | OMV098J12A      | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X36F**   | OMV112K14A      | 34400                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X36J**   | *9MA*0602120A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X36J**   | *9MA*0802120A** | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MA*1002122A** | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MA*1202422A** | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MV*0802120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.7 |
|           | ED*4X36J**   | *9MV*1002120A** | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | *9MV*1202422A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X36J**   | MV16J22**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X36J**   | *8MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X36J**   | *8MPV125        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X36J**   | *9MA*1002120A** | 35000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36J**   | *9MPV100        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X36J**   | *9MV*1002116A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X36J**   | *9MVX080        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X36J**   | OLV112A16A      | 34600                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X36J**   |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X42F**   | *9MA*0601714A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42F**   | *9MA*0602120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42F**   | *9MA*0801714A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42F**   | *9MA*0802120A** | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42F**   | *9MA*1002122A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42F**   | *9MV*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42F**   | *9MV*0801716A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42F**   | *9MV*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42F**   | *9MV*1002120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42F**   | *9MX*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42F**   | *9MX*0801716A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42F**   | MV12F19**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X42F**   | *8MPV075        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X42F**   | *9MA*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42F**   | *9MPV050        | 34400                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X42F**   | *9MPV075        | 34600                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42F**   | *9MV*1002116A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42F**   | *9MVX040        | 35200                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X42F**   | *9MVX060        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.5 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | ED*4X42F**   | OLV098A12A      | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X42F**   | OLV112A16A      | 34800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X42F**   | OMV098J12A      | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X42F**   | OMV112K14A      | 34600                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X42F**   |                 | 34800                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X42J**   | *9MA*0602120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MA*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42J**   | *9MA*1002122A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42J**   | *9MA*1202422A** | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42J**   | *9MV*0802120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42J**   | *9MV*1002120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42J**   | *9MV*1202422A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42J**   | MV16J22**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X42J**   | *8MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X42J**   | *8MPV125        | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42J**   | *9MA*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42J**   | *9MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MV*1002116A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42J**   | *9MVX080        | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | OLV112A16A      | 34800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X42J**   |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X42L**   | *9MA*0602120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   | *9MA*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42L**   | *9MA*1002122A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42L**   | *9MA*1202422A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42L**   | *9MV*0802120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42L**   | *9MV*1002120A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42L**   | *9MV*1202422A** | 35600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X42L**   | MV20L24**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X42L**   | *9MA*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42L**   | *9MPV125        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X42L**   | *9MV*1002116A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42L**   | *9MVX100        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X42L**   | OLV112A16A      | 34800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X42L**   | OLV154F20A      | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | EHD4X36A**   | *8MV*0701412**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X36A**   | *8MV*0901716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *8MV*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *8MV*1352422**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *8MX*0451408**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EHD4X36A**   | *8MX*0701716**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X36A**   | *8MX*0902116**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *8MX*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MA*0601714A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MA*0602120A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MA*0801714A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MA*0802120A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MA*1002122A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MA*1202422A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MV*0601714A** | 35800                 | TDR&TXV         | 14       |              |              | 11.5 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | EHD4X36A**   | *9MV*0801716A** | 36000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MV*0802120A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MV*1002120A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MV*1202422A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MX*0601714A** | 36000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MX*0801716A** | 36000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MX*1002120A** | 36600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | MV08B15**B*     | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**   | MV08B15**B*     | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**   | MV12F19**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | MV12F19**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | MV16J22**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X36A**   | MV16J22**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X36A**   | MV20L24**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X36A**   | MV20L24**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X36A**   | NOMV106D12*     | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X36A**   | NOMV156E19*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *8MPV050        | 35200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EHD4X36A**   | *8MPV050        | 35200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EHD4X36A**   | *8MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X36A**   | *8MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X36A**   | *8MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**   | *8MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**   | *8MPV125        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X36A**   | *8MPV125        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X36A**   | *9MA*1002120A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X36A**   | *9MPV050        | 35200                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X36A**   | *9MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X36A**   | *9MPV100        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X36A**   | *9MPV125        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X36A**   | *9MV*1002116A** | 36000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X36A**   | *9MVX040        | 35000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EHD4X36A**   | *9MVX060        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X36A**   | *9MVX080        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X36A**   | *9MVX100        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X36A**   | OLV098A12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EHD4X36A**   | OLV112A16A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X36A**   | OLV154F20A      | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X36A**   | OMV098J12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EHD4X36A**   | OMV112K14A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X36A**   |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | EHD4X36A**   |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | EHD4X42A**   | *8MV*0701412**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**   | *8MV*0901716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**   | *8MV*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**   | *8MV*1352422**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**   | *8MX*0451408**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EHD4X42A**   | *8MX*0701716**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X42A**   | *8MX*0902116**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**   | *8MX*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**   | *9MA*0601714A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | EHD4X42A**       | *9MA*0602120A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MA*0801714A** | 35800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MA*0802120A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MA*1002122A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MA*1202422A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MV*0601714A** | 36000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X42A**       | *9MV*0801716A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MV*0802120A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MV*1002120A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MV*1202422A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MX*0601714A** | 36200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X42A**       | *9MX*0801716A** | 36200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X42A**       | *9MX*1002120A** | 36800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | MV08B15**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | MV08B15**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | MV12F19**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | MV12F19**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | MV16J22**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | MV16J22**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | MV20L24**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | MV20L24**B*     | 35200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**       | NOMV106D12*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | NOMV156E19*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *8MPV050        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X42A**       | *8MPV050        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X42A**       | *8MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X42A**       | *8MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X42A**       | *8MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X42A**       | *8MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X42A**       | *8MPV125        | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *8MPV125        | 35200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MA*1002120A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MPV050        | 35200                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X42A**       | *9MPV075        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X42A**       | *9MPV100        | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**       | *9MPV125        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X42A**       | *9MV*1002116A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X42A**       | *9MVX040        | 35200                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X42A**       | *9MVX060        | 35200                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X42A**       | *9MVX080        | 35200                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**       | *9MVX100        | 35200                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X42A**       | OLV098A12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X42A**       | OLV112A16A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X42A**       | OLV154F20A      | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X42A**       | OMV098J12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X42A**       | OMV112K14A      | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**       |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | EHD4X42A**       |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | EMA4X36D**       |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | EMA4X36D**       |                 | 35200                 | TXV             |          | 13.2         |              | 11   |
|           | EN(A,D)4X36*21** | *8MV*1102120**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | EN(A,D)4X36*21** | *8MX*0902116**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *8MX*1102120**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MA*0601714A** | 34600                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X36*21** | *9MA*0602120A** | 34800                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X36*21** | *9MA*0801714A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MA*0802120A** | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X36*21** | *9MA*1002122A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MV*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X36*21** | *9MV*0801716A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MV*0802120A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MV*1002120A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MX*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X36*21** | *9MX*0801716A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MX*1002120A** | 35600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | NOMV156E19*     | 34800                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EN(A,D)4X36*21** | *9MA*1002120A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MPV050        | 34000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MPV075        | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MPV100        | 34600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MV*1002116A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X36*21** | *9MVX040        | 34000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MVX060        | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X36*21** | *9MVX080        | 34800                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** | OLV098A12A      | 34000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X36*21** | OLV112A16A      | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X36*21** | OMV098J12A      | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X36*21** | OMV112K14A      | 34200                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X36*21** |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X37*17** | *8MV*0701412**  | 34400                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X37*17** | *8MV*0901716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *8MV*0901716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *8MX*0451408**  | 34600                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X37*17** | *8MX*0701716**  | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X37*17** | *8MX*0701716**  | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X37*17** | *9MA*0601714A** | 35800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X37*17** | *9MA*0801714A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MV*0601714A** | 36400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X37*17** | *9MV*0801716A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | *9MX*0601714A** | 36400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X37*17** | *9MX*0801716A** | 36400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X37*17** | NOMV106D12*     | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X37*17** | *8MPV050        | 34400                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X37*17** | *8MPV075        | 34800                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X37*17** | *9MPV050        | 35000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X37*17** | *9MPV075        | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D)4X37*17** | *9MVX040        | 35000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X37*17** | *9MVX060        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X37*17** | OLV098A12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X37*17** | OMV098J12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X37*17** | OMV112K14A      | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X37*17** |                 | 35000                 | TXV             |          | 13           |              | 11   |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | EN(A,D)4X37*17**   |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X43*24**   | *8MV*1102120**  | 34600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *8MV*1352422**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *8MV*1352422**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *8MX*0902116**  | 34800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *8MX*1102120**  | 34800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MA*0602120A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MA*0802120A** | 36400                 | TDR&TXV         | 15       |              |              | 12.2 |
|           | EN(A,D)4X43*24**   | *9MA*1002122A** | 36400                 | TDR&TXV         | 15       |              |              | 12.2 |
|           | EN(A,D)4X43*24**   | *9MA*1202422A** | 36400                 | TDR&TXV         | 15       |              |              | 12.4 |
|           | EN(A,D)4X43*24**   | *9MV*0802120A** | 36600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X43*24**   | *9MV*1002120A** | 36600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EN(A,D)4X43*24**   | *9MV*1202422A** | 36400                 | TDR&TXV         | 15       |              |              | 12.5 |
|           | EN(A,D)4X43*24**   | *9MX*1002120A** | 37400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | MV20L24**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *8MPV100        | 34800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *8MPV125        | 34800                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MA*1002120A** | 36400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MPV100        | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MPV125        | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MV*1002116A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MVX080        | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24**   | *9MVX100        | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24**   | OLV112A16A      | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24**   | OLV154F20A      | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24**   |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X43*24**   |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D,W)4X36*17** | *8MV*0901716**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *8MX*0701716**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MA*0601714A** | 34600                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X36*17** | *9MA*0801714A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *9MV*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X36*17** | *9MV*0801716A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | *9MX*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X36*17** | *9MX*0801716A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X36*17** | NOMV106D12*     | 34200                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MPV050        | 34000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MPV075        | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MVX040        | 34000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D,W)4X36*17** | *9MVX060        | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | OLV098A12A      | 34000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | OMV098J12A      | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X36*17** | OMV112K14A      | 34200                 | TDR&TXV         | 13.4     |              |              | 11   |
|           | EN(A,D,W)4X36*17** |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D,W)4X42*21** | *8MV*1102120**  | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X42*21** | *8MX*0902116**  | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *8MX*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *9MA*0601714A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MA*0602120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MA*0801714A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X42*21** | *9MA*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | EN(A,D,W)4X42*21** | *9MA*1002122A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *9MV*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MV*0801716A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X42*21** | *9MV*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *9MV*1002120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X42*21** | *9MX*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MX*0801716A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X42*21** | *9MX*1002120A** | 36000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X42*21** | NOMV156E19*     | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MA*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X42*21** | *9MPV050        | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | *9MPV075        | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | *9MPV100        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MV*1002116A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X42*21** | *9MVX040        | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | *9MVX060        | 34800                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | *9MVX080        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | OLV098A12A      | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | OLV112A16A      | 34800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | OMV098J12A      | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | OMV112K14A      | 34600                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | END4X42*17**       | *8MV*0901716**  | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | END4X42*17**       | *8MX*0701716**  | 35000                 | TDR&TXV         | 14       |              |              | 11.2 |
|           | END4X42*17**       | *9MA*0601714A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | END4X42*17**       | *9MA*0801714A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | END4X42*17**       | *9MV*0601714A** | 35600                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | END4X42*17**       | *9MV*0801716A** | 35800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | END4X42*17**       | *9MX*0601714A** | 35800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | END4X42*17**       | *9MX*0801716A** | 35800                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | END4X42*17**       | NOMV106D12*     | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | END4X42*17**       | *9MPV050        | 34800                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | END4X42*17**       | *9MPV075        | 34800                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | END4X42*17**       | *9MVX040        | 34800                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | END4X42*17**       | *9MVX060        | 35000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | END4X42*17**       | OLV098A12A      | 34800                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | END4X42*17**       | OMV098J12A      | 34800                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | END4X42*17**       | OMV112K14A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | END4X42*17**       |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | ENH4X36*17**       | *8MV*0701412**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17**       | *8MV*0901716**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17**       | *8MV*1102120**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17**       | *8MV*1352422**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17**       | *8MX*0451408**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17**       | *8MX*0701716**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17**       | *8MX*0902116**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17**       | *8MX*1102120**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17**       | *9MA*0601714A** | 34600                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X36*17**       | *9MA*0801714A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17**       | *9MA*1202422A** | 35000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17**       | *9MV*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | ENH4X36*17** | *9MV*0801716A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MV*1202422A** | 35000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X36*17** | *9MX*0601714A** | 35000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X36*17** | *9MX*0801716A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | MV08B15**B*     | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | MV12F19**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X36*17** | MV16J22**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X36*17** | MV20L24**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X36*17** | NOMV106D12*     | 34200                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17** | NOMV156E19*     | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *8MPV050        | 34600                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X36*17** | *8MPV075        | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X36*17** | *8MPV100        | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *8MPV125        | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MA*1002120A** | 34800                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MPV050        | 34000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X36*17** | *9MPV075        | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** | *9MPV100        | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** | *9MPV125        | 34600                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X36*17** | *9MV*1002116A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X36*17** | *9MVX040        | 34000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X36*17** | *9MVX060        | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** | *9MVX080        | 34800                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** | *9MVX100        | 34600                 | TDR&TXV         | 13.2     |              |              | 11.5 |
|           | ENH4X36*17** | OLV098A12A      | 34000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** | OLV112A16A      | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** | OLV154F20A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X36*17** | OMV098J12A      | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** | OMV112K14A      | 34200                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X36*17** |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | ENH4X42*21** | *8MV*0701412**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *8MV*0901716**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *8MV*1102120**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *8MV*1352422**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *8MX*0451408**  | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X42*21** | *8MX*0701716**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *8MX*0902116**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *8MX*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MA*0601714A** | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *9MA*0602120A** | 35200                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *9MA*0801714A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X42*21** | *9MA*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MA*1002122A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MA*1202422A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MV*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *9MV*0801716A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X42*21** | *9MV*0802120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MV*1002120A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MV*1202422A** | 35400                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MX*0601714A** | 35400                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *9MX*0801716A** | 35400                 | TDR&TXV         | 14.2     |              |              | 11.8 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | ENH4X42*21** | *9MX*1002120A** | 36000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X42*21** | MV08B15**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | MV12F19**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | MV16J22**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | MV20L24**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | NOMV106D12*     | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | NOMV156E19*     | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *8MPV050        | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X42*21** | *8MPV075        | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *8MPV100        | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21** | *8MPV125        | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X42*21** | *9MA*1002120A** | 35200                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X42*21** | *9MPV050        | 34600                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X42*21** | *9MPV075        | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X42*21** | *9MPV100        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** | *9MPV125        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** | *9MV*1002116A** | 35600                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X42*21** | *9MVX040        | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X42*21** | *9MVX060        | 34800                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X42*21** | *9MVX080        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** | *9MVX100        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** | OLV098A12A      | 34400                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X42*21** | OLV112A16A      | 34800                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** | OLV154F20A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** | OMV098J12A      | 34600                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X42*21** | OMV112K14A      | 34600                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | ENH4X43*21** | *8MV*0701412**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MV*0701412**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MV*0901716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MV*0901716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MV*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MV*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MV*1352422**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MV*1352422**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*0451408**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *8MX*0451408**  | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *8MX*0701716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*0701716**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*0902116**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*0902116**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*1102120**  | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*0601714A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*0602120A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*0801714A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*0802120A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ENH4X43*21** | *9MA*1002122A** | 36400                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ENH4X43*21** | *9MA*1202422A** | 36200                 | TDR&TXV         | 15       |              |              | 12.4 |
|           | ENH4X43*21** | *9MV*0601714A** | 36000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MV*0801716A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A336GKD | ENH4X43*21** | *9MV*0802120A** | 36600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MV*1002120A** | 36600                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ENH4X43*21** | *9MV*1202422A** | 36200                 | TDR&TXV         | 15       |              |              | 12.4 |
|           | ENH4X43*21** | *9MX*0601714A** | 36600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MX*0801716A** | 36600                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MX*1002120A** | 37200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | MV08B15**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | MV12F19**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | MV16J22**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | MV20L24**B*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | NOMV106D12*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | NOMV156E19*     | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MPV050        | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X43*21** | *8MPV050        | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X43*21** | *8MPV075        | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MPV075        | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MPV100        | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MPV100        | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MPV125        | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MPV125        | 35000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*1002120A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MPV050        | 35000                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X43*21** | *9MPV075        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X43*21** | *9MPV100        | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *9MPV125        | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | *9MV*1002116A** | 36200                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MVX040        | 35000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X43*21** | *9MVX060        | 35000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X43*21** | *9MVX080        | 35000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *9MVX100        | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | OLV098A12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X43*21** | OLV112A16A      | 35000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X43*21** | OLV154F20A      | 35000                 | TDR&TXV         | 14       |              |              | 12.2 |
|           | ENH4X43*21** | OMV098J12A      | 35000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X43*21** | OMV112K14A      | 35000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** |                 | 35000                 | TXV             |          | 13           |              | 11   |
|           | ENH4X43*21** |                 | 35000                 | TXV             |          | 13           |              | 11   |

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

| COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models                                                                                                                                                                  |                 |                 |                       |                 |          |              |              |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
| For complete ratings information, use the AHRI website directory search: <a href="http://www.AHRI.directory.org">www.AHRI.directory.org</a> .<br>New ratings may be listed online before Specification Sheets are updated. |                 |                 |                       |                 |          |              |              |      |
| Unit Size                                                                                                                                                                                                                  | Indoor Model    | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|                                                                                                                                                                                                                            |                 |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|                                                                                                                                                                                                                            |                 |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|                                                                                                                                                                                                                            |                 |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD                                                                                                                                                                                                                  | *ED*4X42J**     |                 | 41000                 | TXV             |          | 13.2         |              | 11   |
|                                                                                                                                                                                                                            | FEM4P42**A*     |                 | 41000                 | TDR             | 13.5     |              |              | 11.5 |
|                                                                                                                                                                                                                            | FEM4P48**A*     |                 | 41000                 | TDR             | 13.5     |              |              | 11.5 |
|                                                                                                                                                                                                                            | FEM4X42****     |                 | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | FEM4X48****     |                 | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|                                                                                                                                                                                                                            | FS(M,U)4P42**A* |                 | 41000                 | TDR             | 13       |              |              | 11   |
|                                                                                                                                                                                                                            | FS(M,U)4P48**A* |                 | 42000                 | TDR             | 13       |              |              | 11   |
|                                                                                                                                                                                                                            | FS(M,U)4X42**** |                 | 41000                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                            | FS(M,U)4X48**** |                 | 41000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                            | FSM4X36****     |                 | 41000                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                            | FVM4X48****     |                 | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|                                                                                                                                                                                                                            | FVM4X60****     |                 | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|                                                                                                                                                                                                                            | FXM4X42**A*     |                 | 41500                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | FXM4X48**A*     |                 | 42000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                            | FXM4X60**A*     |                 | 42500                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *8MV*0901716**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *8MV*1102120**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *8MX*0701716**  | 40000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *8MX*0902116**  | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *8MX*1102120**  | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MA*0601714A** | 39500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MA*0602120A** | 39500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MA*0801714A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MA*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MA*1002122A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MV*0601714A** | 40000                 | TDR&TXV         | 13.3     |              |              | 11   |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MV*0801716A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MV*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MV*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MX*0601714A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MX*0801716A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MX*0802120A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MX*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MA*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MV*1002116A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    | *9MX*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                            | EA*4X42*21A*    |                 | 40500                 | TXV             |          | 13           |              | 11   |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *8MV*1102120**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *8MV*1352422**  | 40500                 | TDR&TXV         | 14.2     |              |              | 12   |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *8MX*0902116**  | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *8MX*1102120**  | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *8MX*1352420**  | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *9MA*0602120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *9MA*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *9MA*1002122A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *9MA*1202422A** | 40000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *9MV*0802120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X42*24A*    | *9MV*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |

\* Tested Combo

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | EA*4X42*24A* | *9MV*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X42*24A* | *9MX*0802120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*24A* | *9MX*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X42*24A* | *9MX*1202422A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*24A* | *9MA*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X42*24A* | *9MV*1002116A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X42*24A* | *9MX*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X42*24A* |                 | 40500                 | TXV             |          | 13           |              | 11   |
|           | EA*4X48*17A* | *8MV*0701412**  | 41000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EA*4X48*17A* | *8MV*0901716**  | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*17A* | *8MX*0701716**  | 41000                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|           | EA*4X48*17A* | *9MA*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*17A* | *9MA*0801714A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X48*17A* | *9MV*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*17A* | *9MV*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*17A* | *9MX*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*17A* | *9MX*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*17A* |                 | 40500                 | TXV             |          | 13.2         |              | 11   |
|           | EA*4X48*21A* | *9MA*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*21A* | *9MA*0602120A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EA*4X48*21A* | *9MA*0801714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*21A* | *9MA*0802120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*21A* | *9MA*1002122A** | 41000                 | TDR&TXV         | 14       |              |              | 11.8 |
|           | EA*4X48*21A* | *9MV*0601714A** | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EA*4X48*21A* | *9MV*0801716A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*21A* | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*21A* | *9MV*1002120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*21A* | *9MX*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*21A* | *9MX*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*21A* | *9MX*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*21A* | *9MX*1002120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*21A* | *9MA*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X48*21A* | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X48*21A* | *9MX*1002116A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X48*21A* |                 | 41500                 | TXV             |          | 13.2         |              | 11   |
|           | EA*4X48*24A* | *8MV*1102120**  | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EA*4X48*24A* | *8MV*1352422**  | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X48*24A* | *8MX*0902116**  | 41000                 | TDR&TXV         | 14.2     |              |              | 11.7 |
|           | EA*4X48*24A* | *8MX*1102120**  | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X48*24A* | *8MX*1352420**  | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EA*4X48*24A* | *9MA*0602120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X48*24A* | *9MA*0802120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*24A* | *9MA*1002122A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EA*4X48*24A* | *9MA*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X48*24A* | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*24A* | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EA*4X48*24A* | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X48*24A* | *9MX*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X48*24A* | *9MX*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EA*4X48*24A* | *9MX*1202422A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X48*24A* | *9MA*1002120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | EA*4X48*24A* | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X48*24A* | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X48*24A* |                 | 41500                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X42F**   | *9MA*0601714A** | 39500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42F**   | *9MA*0602120A** | 39500                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|           | ED*4X42F**   | *9MA*0801714A** | 39500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42F**   | *9MA*0802120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X42F**   | *9MA*1002122A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42F**   | *9MV*0601714A** | 40000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | ED*4X42F**   | *9MV*0801716A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42F**   | *9MV*0802120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X42F**   | *9MV*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42F**   | *9MX*0601714A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42F**   | *9MX*0801716A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42F**   | *9MX*0802120A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X42F**   | *9MX*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42F**   | MV12F19**B*     | 40000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X42F**   | *8MPV075        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42F**   | *9MA*1002120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42F**   | *9MPV075        | 40000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ED*4X42F**   | *9MV*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42F**   | *9MVX060        | 40000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X42F**   | *9MX*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42F**   | OLV112A16A      | 40000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X42F**   | OMV112K14A      | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42F**   |                 | 41000                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X42J**   | *8MV*1102120**  | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42J**   | *8MX*0902116**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *8MX*1102120**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MA*0602120A** | 39500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X42J**   | *9MA*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MA*1002122A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MA*1202422A** | 40000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42J**   | *9MV*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MV*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MV*1202422A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42J**   | *9MX*0802120A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X42J**   | *9MX*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MX*1202422A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42J**   | MV16J22**B*     | 40500                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X42J**   | *8MPV100        | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *8MPV125        | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42J**   | *9MA*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42J**   | *9MV*1002116A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42J**   | *9MVX080        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X42J**   | *9MX*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42J**   | OLV112A16A      | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42L**   | *8MV*1352422**  | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42L**   | *8MX*1352420**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   | *9MA*0602120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X42L**   | *9MA*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | ED*4X42L**   | *9MA*1002122A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   | *9MA*1202422A** | 40000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42L**   | *9MV*0802120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   | *9MV*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   | *9MV*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X42L**   | *9MX*0802120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42L**   | *9MX*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   | *9MX*1202422A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42L**   | MV20L24**B*     | 40500                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X42L**   | *9MA*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X42L**   | *9MPV125        | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X42L**   | *9MV*1002116A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42L**   | *9MX*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X42L**   | OLV112A16A      | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X42L**   | OLV154F20A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X42L**   |                 | 41000                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X48F**   | *8MV*0901716**  | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48F**   | *8MX*0701716**  | 39500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48F**   | *9MA*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48F**   | *9MA*0602120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48F**   | *9MA*0801714A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48F**   | *9MA*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48F**   | *9MA*1002122A** | 41500                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ED*4X48F**   | *9MV*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48F**   | *9MV*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48F**   | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48F**   | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ED*4X48F**   | *9MX*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48F**   | *9MX*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48F**   | *9MX*0802120A** | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48F**   | *9MX*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ED*4X48F**   | MV12F19**B*     | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X48F**   | *8MPV075        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48F**   | *9MA*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48F**   | *9MPV075        | 40500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X48F**   | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48F**   | *9MVX060        | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48F**   | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48F**   | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48F**   | OMV112K14A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X48F**   |                 | 41000                 | TXV             |          | 13.2         |              | 11.2 |
|           | ED*4X48J**   | *8MV*1102120**  | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *8MX*0902116**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48J**   | *8MX*1102120**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48J**   | *9MA*0602120A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48J**   | *9MA*0802120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48J**   | *9MA*1002122A** | 41000                 | TDR&TXV         | 14       |              |              | 11.8 |
|           | ED*4X48J**   | *9MA*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48J**   | *9MA*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48J**   | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48J**   | *9MV*1002120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | ED*4X48J**   | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48J**   | *9MX*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48J**   | *9MX*1002120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48J**   | *9MX*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48J**   | *9MX*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48J**   | MV16J22**B*     | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X48J**   | *8MPV100        | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48J**   | *8MPV125        | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48J**   | *9MA*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *9MA*1002120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *9MPV100        | 41500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ED*4X48J**   | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *9MVX080        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X48J**   | *9MX*1002116A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *9MX*1002116A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48J**   |                 | 41000                 | TXV             |          | 13.2         |              | 11.2 |
|           | ED*4X48L**   | *8MV*1352422**  | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48L**   | *8MX*1352420**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48L**   | *9MA*0602120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   | *9MA*0802120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ED*4X48L**   | *9MA*1002122A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ED*4X48L**   | *9MA*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48L**   | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48L**   | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ED*4X48L**   | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48L**   | *9MX*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48L**   | *9MX*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ED*4X48L**   | *9MX*1202422A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48L**   | MV20L24**B*     | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X48L**   | *9MA*1002120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X48L**   | *9MPV125        | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48L**   | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   | *9MVX100        | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48L**   | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48L**   | OLV154F20A      | 41500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   |                 | 41000                 | TXV             |          | 13.2         |              | 11.2 |
|           | EHD4X42A**   | *9MA*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X42A**   | *9MA*0602120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X42A**   | *9MA*0801714A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X42A**   | *9MA*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *9MA*1002122A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EHD4X42A**   | *9MA*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X42A**   | *9MV*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X42A**   | *9MV*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X42A**   | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EHD4X42A**   | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X42A**   | *9MX*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X42A**   | *9MX*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | EHD4X42A**   | *9MX*0802120A** | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *9MX*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EHD4X42A**   | *9MX*1202422A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X42A**   | MV12F19**B*     | 40000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X42A**   | MV16J22**B*     | 40500                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**   | MV20L24**B*     | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X42A**   | *8MPV075        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X42A**   | *8MPV100        | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *8MPV125        | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *8MPV125        | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *9MA*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X42A**   | *9MPV075        | 40000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X42A**   | *9MPV100        | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *9MPV125        | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X42A**   | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X42A**   | *9MVX060        | 40000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X42A**   | *9MVX080        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X42A**   | *9MVX100        | 40000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X42A**   | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X42A**   | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X42A**   | OLV154F20A      | 42000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X42A**   | OMV112K14A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X42A**   |                 | 41000                 |                 |          | 13.2         |              | 11   |
|           | EHD4X48A**   | *9MA*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X48A**   | *9MA*0602120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X48A**   | *9MA*0801714A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X48A**   | *9MA*0802120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EHD4X48A**   | *9MA*1002122A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X48A**   | *9MA*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X48A**   | *9MV*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X48A**   | *9MV*0801716A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X48A**   | *9MV*0802120A** | 41500                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EHD4X48A**   | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X48A**   | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X48A**   | *9MX*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X48A**   | *9MX*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X48A**   | *9MX*0802120A** | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X48A**   | *9MX*1002120A** | 41500                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EHD4X48A**   | *9MX*1202422A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X48A**   | MV12F19**B*     | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X48A**   | MV16J22**B*     | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X48A**   | MV20L24**B*     | 41000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X48A**   | *8MPV075        | 41500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X48A**   | *8MPV100        | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X48A**   | *9MA*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X48A**   | *9MPV075        | 41000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X48A**   | *9MPV100        | 41500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EHD4X48A**   | *9MPV125        | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X48A**   | *9MV*1002116A** | 41500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X48A**   | *9MVX060        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X48A**   | *9MVX080        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.7 |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | EHD4X48A**       | *9MVX100        | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X48A**       | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X48A**       | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X48A**       | OLV154F20A      | 42000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X48A**       | OMV112K14A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X48A**       |                 | 41000                 | TXV             |          | 13.2         |              | 11.2 |
|           | EMA4X48D**       |                 | 41000                 | TXV             |          | 13.2         |              | 11   |
|           | EN(A,D)4X43*24** | *8MV*1102120**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *8MV*1352422**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *8MX*0902116**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *8MX*1102120**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *8MX*1352420**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MA*0602120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X43*24** | *9MA*0802120A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MA*1002122A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MA*1202422A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MV*0802120A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MV*1002120A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MV*1202422A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MX*0802120A** | 42000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MX*1002120A** | 42000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MX*1202422A** | 42000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *8MPV100        | 42000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24** | *8MPV125        | 42000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MA*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X43*24** | *9MPV100        | 42000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X43*24** | *9MPV125        | 42000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MV*1002116A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X43*24** | *9MVX080        | 42000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X43*24** | *9MVX100        | 41500                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24** | *9MX*1002116A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X43*24** | OLV112A16A      | 41500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X43*24** | OLV154F20A      | 42500                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X43*24** |                 | 41500                 | TXV             | 13       | 13.2         |              | 11   |
|           | EN(A,D)4X43*24** |                 | 41500                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X48*24** | *8MV*1352422**  | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24** | *8MX*1352420**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X48*24** | *9MA*0602120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24** | *9MA*0802120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EN(A,D)4X48*24** | *9MA*1002122A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X48*24** | *9MA*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X48*24** | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24** | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X48*24** | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X48*24** | *9MX*0802120A** | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24** | *9MX*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EN(A,D)4X48*24** | *9MX*1202422A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X48*24** | *9MA*1002120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X48*24** | *9MPV100        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EN(A,D)4X48*24** | *9MPV125        | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24** | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | EN(A,D)4X48*24**   | *9MVX080        | 41500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EN(A,D)4X48*24**   | *9MVX100        | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24**   | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | OLV154F20A      | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24**   |                 | 41000                 | TXV             | 13       | 13           |              | 11   |
|           | EN(A,D)4X48*24**   |                 | 41000                 | TXV             | 13       | 13           |              | 11   |
|           | EN(A,D)4X48*24**   |                 | 41000                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D,W)4X42*21** | *8MV*1102120**  | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *8MX*0902116**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X42*21** | *8MX*1102120**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X42*21** | *9MA*0601714A** | 39500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X42*21** | *9MA*0602120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|           | EN(A,D,W)4X42*21** | *9MA*0801714A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X42*21** | *9MA*0802120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MA*1002122A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X42*21** | *9MV*0601714A** | 40000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | *9MV*0801716A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X42*21** | *9MV*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MV*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X42*21** | *9MX*0601714A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X42*21** | *9MX*0801716A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X42*21** | *9MX*0802120A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D,W)4X42*21** | *9MX*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X42*21** | *9MA*1002120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X42*21** | *9MPV075        | 39500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | *9MPV100        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X42*21** | *9MV*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X42*21** | *9MVX060        | 40000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | *9MVX080        | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X42*21** | *9MX*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X42*21** | OLV112A16A      | 40000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X42*21** | OMV112K14A      | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X42*21** |                 | 40500                 | TXV             | 13       |              |              | 11   |
|           | EN(A,D,W)4X42*21** |                 | 40500                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D,W)4X48*21** | *8MV*1102120**  | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *8MX*0902116**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D,W)4X48*21** | *8MX*1102120**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D,W)4X48*21** | *9MA*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X48*21** | *9MA*0602120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *9MA*0801714A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MA*0802120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | EN(A,D,W)4X48*21** | *9MA*1002122A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X48*21** | *9MV*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X48*21** | *9MV*0801716A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X48*21** | *9MX*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X48*21** | *9MX*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X48*21** | *9MX*0802120A** | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *9MX*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | EN(A,D,W)4X48*21** | *9MA*1002120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X48*21** | *9MPV075        | 40500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EN(A,D,W)4X48*21** | *9MPV100        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MVX060        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X48*21** | *9MVX080        | 41500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | OMV112K14A      | 40500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** |                 | 41000                 | TXV             | 13       | 13           |              | 11   |
|           | EN(A,D,W)4X48*21** |                 | 41000                 | TXV             |          | 13           |              | 11   |
|           | END4X42*17**       | *8MV*0901716**  | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | END4X42*17**       | *8MX*0701716**  | 40000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | END4X42*17**       | *9MA*0601714A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | END4X42*17**       | *9MA*0801714A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | END4X42*17**       | *9MV*0601714A** | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | END4X42*17**       | *9MV*0801716A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | END4X42*17**       | *9MX*0601714A** | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | END4X42*17**       | *9MX*0801716A** | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | END4X42*17**       | *9MPV075        | 40000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | END4X42*17**       | *9MVX060        | 40500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | END4X42*17**       | OMV112K14A      | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | END4X42*17**       |                 | 41000                 | TXV             | 13       | 13           |              | 11   |
|           | END4X42*17**       |                 | 41000                 | TXV             |          | 13           |              | 11   |
|           | ENH4X42*21**       | *8MV*0701412**  | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21**       | *8MX*0701716**  | 40000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X42*21**       | *8MX*0902116**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X42*21**       | *8MX*1102120**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X42*21**       | *8MX*1352420**  | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X42*21**       | *9MA*0601714A** | 39500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21**       | *9MA*0602120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|           | ENH4X42*21**       | *9MA*0801714A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X42*21**       | *9MA*0802120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ENH4X42*21**       | *9MA*1002122A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X42*21**       | *9MA*1202422A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21**       | *9MV*0601714A** | 40000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | ENH4X42*21**       | *9MV*0801716A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X42*21**       | *9MV*0802120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21**       | *9MV*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X42*21**       | *9MV*1202422A** | 40000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21**       | *9MX*0601714A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21**       | *9MX*0801716A** | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21**       | *9MX*0802120A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ENH4X42*21**       | *9MX*1002120A** | 40000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X42*21**       | *9MX*1202422A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X42*21**       | *9MA*1002120A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X42*21**       | *9MPV075        | 39500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X42*21**       | *9MPV100        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21**       | *9MPV125        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21**       | *9MV*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X42*21**       | *9MVX060        | 40000                 | TDR&TXV         | 13.2     |              |              | 11   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | ENH4X42*21** | *9MVX080        | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21** | *9MVX100        | 40000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X42*21** | *9MX*1002116A** | 40000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X42*21** | OLV112A16A      | 40000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X42*21** | OLV154F20A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21** | OMV112K14A      | 40000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X42*21** |                 | 40500                 | TXV             | 13       |              |              | 11   |
|           | ENH4X42*21** |                 | 40500                 | TXV             |          | 13           |              | 11   |
|           | ENH4X43*21** | *8MV*0701412**  | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *8MV*0901716**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | *8MV*1102120**  | 41500                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | *8MV*1352422**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*0701716**  | 41500                 | TDR&TXV         | 13.5     |              |              | 11   |
|           | ENH4X43*21** | *8MX*0902116**  | 41500                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | *8MX*1102120**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *8MX*1352420**  | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X43*21** | *9MA*0602120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X43*21** | *9MA*0801714A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X43*21** | *9MA*0802120A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*1002122A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*1202422A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MV*0601714A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *9MV*0801716A** | 41500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *9MV*0802120A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MV*1002120A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MX*0601714A** | 41500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X43*21** | *9MX*0801716A** | 41500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X43*21** | *9MX*0802120A** | 42000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ENH4X43*21** | *9MX*1002120A** | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MX*1202422A** | 42000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X43*21** | *8MPV075        | 41500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X43*21** | *8MPV100        | 41500                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | *8MPV125        | 41500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X43*21** | *9MA*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X43*21** | *9MPV075        | 41000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X43*21** | *9MPV100        | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X43*21** | *9MPV125        | 41500                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | *9MV*1002116A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X43*21** | *9MVX060        | 41500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X43*21** | *9MVX080        | 42000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X43*21** | *9MVX100        | 41500                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X43*21** | *9MX*1002116A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X43*21** | OLV112A16A      | 41500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X43*21** | OLV154F20A      | 42500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X43*21** | OMV112K14A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X43*21** |                 | 41500                 | TXV             | 13       | 13.2         |              | 11   |
|           | ENH4X43*21** |                 | 41500                 | TXV             |          | 13           |              | 11   |
|           | ENH4X48*21** | *8MV*0701412**  | 40500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X48*21** | *8MX*0701716**  | 41000                 | TDR&TXV         | 13.5     |              |              | 11.2 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A342GKD | ENH4X48*21** | *8MX*0902116**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X48*21** | *8MX*1102120**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X48*21** | *8MX*1352420**  | 41000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X48*21** | *9MA*0601714A** | 40500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X48*21** | *9MA*0602120A** | 40500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21** | *9MA*0801714A** | 40500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X48*21** | *9MA*0802120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ENH4X48*21** | *9MA*1002122A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X48*21** | *9MA*1202422A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X48*21** | *9MV*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X48*21** | *9MV*0801716A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X48*21** | *9MV*0802120A** | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21** | *9MV*1002120A** | 41000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X48*21** | *9MV*1202422A** | 41000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X48*21** | *9MX*0601714A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X48*21** | *9MX*0801716A** | 41000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X48*21** | *9MX*0802120A** | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21** | *9MX*1002120A** | 41000                 | TDR&TXV         | 14.2     |              |              | 12   |
|           | ENH4X48*21** | *9MX*1202422A** | 41500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X48*21** | *9MA*1002120A** | 40500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X48*21** | *9MPV075        | 40500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X48*21** | *9MPV100        | 41000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X48*21** | *9MPV125        | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21** | *9MV*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X48*21** | *9MVX060        | 41000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X48*21** | *9MVX080        | 41500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X48*21** | *9MVX100        | 41000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21** | *9MX*1002116A** | 41000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X48*21** | OLV112A16A      | 41000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X48*21** | OLV154F20A      | 41500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21** | OMV112K14A      | 40500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X48*21** |                 | 41000                 | TXV             | 13       | 13           |              | 11   |
|           | ENH4X48*21** |                 | 41000                 | TXV             |          | 13           |              | 11   |

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

| COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models                                                                                                                                                                  |                 |                 |                       |                 |          |              |              |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
| For complete ratings information, use the AHRI website directory search: <a href="http://www.AHRI.directory.org">www.AHRI.directory.org</a> .<br>New ratings may be listed online before Specification Sheets are updated. |                 |                 |                       |                 |          |              |              |      |
| Unit Size                                                                                                                                                                                                                  | Indoor Model    | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|                                                                                                                                                                                                                            |                 |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|                                                                                                                                                                                                                            |                 |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|                                                                                                                                                                                                                            |                 |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD                                                                                                                                                                                                                  | *ED*4X48J**     |                 | 46000                 | TXV             |          | 13.2         |              | 11   |
|                                                                                                                                                                                                                            | FEM4P48**A*     |                 | 44500                 | TDR             | 13       |              |              | 11   |
|                                                                                                                                                                                                                            | FEM4P60**A*     |                 | 45500                 | TDR             | 13.5     |              |              | 11.5 |
|                                                                                                                                                                                                                            | FEM4X48****     |                 | 46500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|                                                                                                                                                                                                                            | FEM4X60****     |                 | 47500                 | TDR&TXV         | 14       |              |              | 12   |
|                                                                                                                                                                                                                            | FS(M,U)4P48**A* |                 | 45500                 | TDR             | 13       |              |              | 11   |
|                                                                                                                                                                                                                            | FS(M,U)4X48**** |                 | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                            | FS(M,U)4X60**** |                 | 46500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                            | FVM4X48****     |                 | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|                                                                                                                                                                                                                            | FVM4X60****     |                 | 46500                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|                                                                                                                                                                                                                            | FXM4X48**A*     |                 | 46500                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                            | FXM4X60**A*     |                 | 47000                 | TDR&TXV         | 14.5     |              |              | 12   |
|                                                                                                                                                                                                                            | EA*4X48*17A*    | *8MV*0901716**  | 45500                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|                                                                                                                                                                                                                            | EA*4X48*17A*    | *9MX*0801716A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                            | EA*4X48*17A*    |                 | 45000                 | TXV             |          | 13.2         |              | 11   |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *8MV*0901716**  | 45000                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *8MV*1102120**  | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *8MX*0902116**  | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *8MX*1102120**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MA*0602120A** | 44500                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MA*0802120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MA*1002122A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MV*0801716A** | 44500                 | TDR&TXV         | 13.65    |              |              | 11.4 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MV*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MX*0801716A** | 44500                 | TDR&TXV         | 13.3     |              |              | 11   |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MX*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MX*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MA*1002120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MV*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                            | EA*4X48*21A*    |                 | 46000                 | TXV             |          | 13.2         |              | 11   |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *8MV*1102120**  | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *8MV*1352422**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *8MX*0902116**  | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *8MX*1102120**  | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *8MX*1352420**  | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MA*0602120A** | 44500                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MA*0802120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MA*1002122A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MA*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MV*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MV*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MX*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MX*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|                                                                                                                                                                                                                            | EA*4X48*24A*    | *9MX*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
| * Tested Combo                                                                                                                                                                                                             |                 |                 |                       |                 |          |              |              |      |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | EA*4X48*24A* | *9MA*1002120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*24A* | *9MV*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EA*4X48*24A* | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X48*24A* |                 | 45500                 | TXV             |          | 13.2         |              | 11   |
|           | EA*4X60*21A* | *8MV*0901716**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *8MV*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *8MX*0902116**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *8MX*1102120**  | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X60*21A* | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.7 |
|           | EA*4X60*21A* | *9MA*0802120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *9MA*1002122A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *9MV*0801716A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X60*21A* | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *9MV*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *9MX*0801716A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X60*21A* | *9MX*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *9MX*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*21A* | *9MA*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X60*21A* | *9MV*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X60*21A* | *9MX*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X60*21A* |                 | 46000                 | TXV             |          | 13.2         |              | 11.2 |
|           | EA*4X60*24A* | *8MV*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *8MV*1352422**  | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X60*24A* | *8MX*0902116**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *8MX*1102120**  | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X60*24A* | *8MX*1352420**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EA*4X60*24A* | *9MA*0802120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *9MA*1002122A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EA*4X60*24A* | *9MA*1202422A** | 45500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X60*24A* | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *9MV*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *9MV*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X60*24A* | *9MX*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *9MX*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EA*4X60*24A* | *9MX*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EA*4X60*24A* | *9MA*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EA*4X60*24A* | *9MV*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X60*24A* | *9MX*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EA*4X60*24A* |                 | 46500                 | TXV             |          | 13.2         |              | 11.2 |
|           | ED*4X48F**   | *8MV*0901716**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X48F**   | *8MX*0701716**  | 45000                 | TDR&TXV         | 13.05    |              |              | 10.8 |
|           | ED*4X48F**   | *9MA*0602120A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|           | ED*4X48F**   | *9MA*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48F**   | *9MA*1002122A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48F**   | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48F**   | *9MV*1002120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48F**   | *9MX*0802120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48F**   | *9MX*1002120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48F**   | *9MA*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48F**   | *9MV*1002116A** | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | ED*4X48F**   | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48F**   | OLV112A16A      | 45500                 | TDR&TXV         | 13       |              |              | 11   |
|           | ED*4X48F**   |                 | 45000                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X48J**   | *8MV*1102120**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X48J**   | *8MX*0902116**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X48J**   | *8MX*1102120**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48J**   | *9MA*0602120A** | 44500                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|           | ED*4X48J**   | *9MA*0802120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48J**   | *9MA*1002122A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48J**   | *9MA*1202422A** | 44500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *9MA*1202422A** | 44500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48J**   | *9MV*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48J**   | *9MV*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48J**   | *9MX*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.3 |
|           | ED*4X48J**   | *9MX*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48J**   | *9MX*1202422A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48J**   | *9MX*1202422A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48J**   | MV16J22**B*     | 45000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48J**   | *8MPV100        | 45000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X48J**   | *8MPV125        | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X48J**   | *9MA*1002120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48J**   | *9MA*1002120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48J**   | *9MPV100        | 45000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X48J**   | *9MV*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48J**   | *9MVX080        | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X48J**   | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48J**   | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48J**   | OLV112A16A      | 45000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ED*4X48L**   | *8MV*1352422**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X48L**   | *8MX*1352420**  | 45500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X48L**   | *9MA*0602120A** | 44500                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|           | ED*4X48L**   | *9MA*0802120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48L**   | *9MA*1002122A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   | *9MA*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48L**   | *9MV*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48L**   | *9MV*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   | *9MX*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48L**   | *9MX*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X48L**   | *9MX*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X48L**   | MV20L24**B*     | 45500                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X48L**   | *9MA*1002120A** | 44500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48L**   | *9MPV125        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X48L**   | *9MV*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X48L**   | *9MVX100        | 45000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X48L**   | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X48L**   | OLV112A16A      | 45000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ED*4X48L**   | OLV154F20A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X48L**   |                 | 46000                 | TXV             |          | 13.2         |              | 11   |
|           | ED*4X60J**   | *8MV*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | ED*4X60J**   | *8MX*0902116**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X60J**   | *8MX*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X60J**   | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X60J**   | *9MA*0802120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60J**   | *9MA*1002122A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60J**   | *9MA*1202422A** | 45500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60J**   | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60J**   | *9MV*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60J**   | *9MV*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60J**   | *9MX*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60J**   | *9MX*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60J**   | *9MX*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60J**   | MV16J22**B*     | 46000                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X60J**   | *8MPV100        | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60J**   | *8MPV125        | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X60J**   | *9MA*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X60J**   | *9MPV100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X60J**   | *9MV*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X60J**   | *9MVX080        | 46500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X60J**   | *9MX*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X60J**   | OLV112A16A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X60J**   |                 | 46000                 | TXV             |          | 13.2         |              | 11.2 |
|           | ED*4X60L**   | *8MV*1352422**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X60L**   | *8MX*1352420**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ED*4X60L**   | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ED*4X60L**   | *9MA*0802120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60L**   | *9MA*1002122A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ED*4X60L**   | *9MA*1202422A** | 45500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60L**   | *9MA*1202422A** | 45500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60L**   | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60L**   | *9MV*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60L**   | *9MV*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60L**   | *9MX*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60L**   | *9MX*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ED*4X60L**   | *9MX*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60L**   | *9MX*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ED*4X60L**   | MV20L24**B*     | 46500                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | ED*4X60L**   | *9MA*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X60L**   | *9MA*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ED*4X60L**   | *9MPV125        | 46500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X60L**   | *9MV*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X60L**   | *9MVX100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ED*4X60L**   | *9MX*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X60L**   | *9MX*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ED*4X60L**   | OLV112A16A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X60L**   | OLV154F20A      | 46500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ED*4X60L**   |                 | 46500                 | TXV             |          | 13.2         |              | 11.2 |
|           | EHD4X48A**   | *9MA*0602120A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X48A**   | *9MA*0802120A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X48A**   | *9MA*1002122A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X48A**   | *9MA*1202422A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | EHD4X48A**       | *9MV*0801716A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X48A**       | *9MV*0802120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EHD4X48A**       | *9MV*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X48A**       | *9MV*1202422A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X48A**       | *9MX*0801716A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X48A**       | *9MX*0802120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EHD4X48A**       | *9MX*1002120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EHD4X48A**       | *9MX*1202422A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X48A**       | MV16J22**B*     | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X48A**       | MV20L24**B*     | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X48A**       | *8MPV100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X48A**       | *8MPV125        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X48A**       | *9MA*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X48A**       | *9MPV100        | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X48A**       | *9MPV125        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X48A**       | *9MV*1002116A** | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X48A**       | *9MVX080        | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X48A**       | *9MVX100        | 45000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X48A**       | *9MX*1002116A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X48A**       | OLV112A16A      | 45500                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X48A**       | OLV154F20A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X48A**       |                 | 46000                 | TXV             |          | 13.2         |              | 11   |
|           | EHD4X60A**       | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.7 |
|           | EHD4X60A**       | *9MA*0802120A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X60A**       | *9MA*1002122A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X60A**       | *9MA*1202422A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X60A**       | *9MV*0801716A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X60A**       | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X60A**       | *9MV*1002120A** | 46500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EHD4X60A**       | *9MV*1202422A** | 46500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X60A**       | *9MX*0801716A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X60A**       | *9MX*0802120A** | 46500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X60A**       | *9MX*1002120A** | 46500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X60A**       | *9MX*1202422A** | 46500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X60A**       | MV16J22**B*     | 46500                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X60A**       | MV20L24**B*     | 46500                 | TDR&TXV         | 14.5     |              |              | 12.2 |
|           | EHD4X60A**       | *8MPV100        | 46500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EHD4X60A**       | *8MPV125        | 46500                 | TDR&TXV         | 14       |              |              | 12   |
|           | EHD4X60A**       | *9MA*1002120A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EHD4X60A**       | *9MPV100        | 46500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X60A**       | *9MPV125        | 46500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X60A**       | *9MV*1002116A** | 46500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X60A**       | *9MVX080        | 46500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X60A**       | *9MVX100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EHD4X60A**       | *9MX*1002116A** | 46000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EHD4X60A**       | OLV112A16A      | 46000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X60A**       | OLV154F20A      | 46500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X60A**       |                 | 46500                 | TXV             |          | 13.2         |              | 11.2 |
|           | EMA4X48D**       |                 | 45000                 | TXV             |          | 13.2         |              | 11   |
|           | EN(A,D)4X48*24** | *8MV*1352422**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24** | *8MX*1352420**  | 45500                 | TDR&TXV         | 13.5     |              |              | 11.7 |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | EN(A,D)4X48*24**   | *9MA*0602120A** | 44500                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|           | EN(A,D)4X48*24**   | *9MA*0802120A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | *9MA*1002122A** | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X48*24**   | *9MA*1202422A** | 45000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X48*24**   | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | *9MV*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | *9MV*1202422A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | *9MX*0802120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | *9MX*1002120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | *9MX*1202422A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X48*24**   | *9MA*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X48*24**   | *9MPV100        | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EN(A,D)4X48*24**   | *9MPV125        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X48*24**   | *9MV*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X48*24**   | *9MVX080        | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EN(A,D)4X48*24**   | *9MVX100        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X48*24**   | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X48*24**   | OLV112A16A      | 45000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X48*24**   | OLV154F20A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EN(A,D)4X48*24**   |                 | 45500                 | TXV             |          | 13.2         |              | 11   |
|           | EN(A,D)4X61*24**   | *8MV*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X61*24**   | *8MV*1352422**  | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *8MX*0902116**  | 46500                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X61*24**   | *8MX*1102120**  | 46500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *8MX*1352420**  | 46500                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MA*0602120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X61*24**   | *9MA*0802120A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MA*1002122A** | 46500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MA*1202422A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MV*0802120A** | 46500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MV*1002120A** | 46500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MV*1202422A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MX*0802120A** | 46500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X61*24**   | *9MX*1002120A** | 46500                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MX*1202422A** | 47000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D)4X61*24**   | *8MPV100        | 46500                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X61*24**   | *8MPV125        | 46500                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D)4X61*24**   | *9MA*1002120A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X61*24**   | *9MPV100        | 46500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X61*24**   | *9MPV125        | 46500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X61*24**   | *9MV*1002116A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D)4X61*24**   | *9MVX080        | 46500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X61*24**   | *9MVX100        | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D)4X61*24**   | *9MX*1002116A** | 46500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D)4X61*24**   | OLV112A16A      | 46000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X61*24**   | OLV154F20A      | 47000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EN(A,D)4X61*24**   |                 | 46500                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D,W)4X48*21** | *8MV*1102120**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *8MX*0902116**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *8MX*1102120**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *9MA*0602120A** | 44500                 | TDR&TXV         | 13.5     |              |              | 11.5 |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                    |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                    |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | EN(A,D,W)4X48*21** | *9MA*0802120A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MA*1002122A** | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X48*21** | *9MV*0801716A** | 45000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | EN(A,D,W)4X48*21** | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MV*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MX*0801716A** | 45000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | EN(A,D,W)4X48*21** | *9MX*0802120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MX*1002120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D,W)4X48*21** | *9MA*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X48*21** | *9MPV100        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X48*21** | *9MV*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D,W)4X48*21** | *9MVX080        | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EN(A,D,W)4X48*21** | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X48*21** | OLV112A16A      | 45000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D,W)4X48*21** |                 | 45500                 | TXV             |          | 13.2         |              | 11   |
|           | EN(A,D,W)4X60*24** | *8MV*1352422**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D,W)4X60*24** | *8MX*1352420**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | EN(A,D,W)4X60*24** | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | EN(A,D,W)4X60*24** | *9MA*0802120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X60*24** | *9MA*1002122A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | EN(A,D,W)4X60*24** | *9MA*1202422A** | 45500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X60*24** | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X60*24** | *9MV*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X60*24** | *9MV*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X60*24** | *9MX*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X60*24** | *9MX*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | EN(A,D,W)4X60*24** | *9MX*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | EN(A,D,W)4X60*24** | *9MA*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | EN(A,D,W)4X60*24** | *9MPV100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X60*24** | *9MPV125        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X60*24** | *9MV*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X60*24** | *9MVX080        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X60*24** | *9MVX100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X60*24** | *9MX*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D,W)4X60*24** | OLV112A16A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EN(A,D,W)4X60*24** | OLV154F20A      | 46500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D,W)4X60*24** |                 | 46500                 | TXV             |          | 13.2         |              | 11.2 |
|           | ENH4X48*21**       | *8MV*0901716**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X48*21**       | *8MV*1102120**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X48*21**       | *8MV*1352422**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21**       | *8MX*0701716**  | 45000                 | TDR&TXV         | 13.05    |              |              | 10.8 |
|           | ENH4X48*21**       | *8MX*0902116**  | 45000                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X48*21**       | *8MX*1102120**  | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21**       | *8MX*1352420**  | 45500                 | TDR&TXV         | 13.5     |              |              | 11.7 |
|           | ENH4X48*21**       | *9MA*0602120A** | 44500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X48*21**       | *9MA*0802120A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X48*21**       | *9MA*1002122A** | 45000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X48*21**       | *9MA*1202422A** | 45000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X48*21**       | *9MV*0801716A** | 45000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | ENH4X48*21**       | *9MV*0802120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ENH4X48*21**       | *9MV*1002120A** | 45000                 | TDR&TXV         | 14       |              |              | 11.5 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35° C) |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | ENH4X48*21** | *9MV*1202422A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X48*21** | *9MX*0801716A** | 45000                 | TDR&TXV         | 13.3     |              |              | 11   |
|           | ENH4X48*21** | *9MX*0802120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ENH4X48*21** | *9MX*1002120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ENH4X48*21** | *9MX*1202422A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X48*21** | *9MA*1002120A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X48*21** | *9MPV100        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X48*21** | *9MPV125        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X48*21** | *9MV*1002116A** | 45000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X48*21** | *9MVX080        | 45500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X48*21** | *9MVX100        | 45500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X48*21** | *9MX*1002116A** | 45000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X48*21** | OLV112A16A      | 45000                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | ENH4X48*21** | OLV154F20A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X48*21** |                 | 45500                 | TXV             |          | 13.2         |              | 11   |
|           | ENH4X60*24** | *8MV*0901716**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X60*24** | *8MV*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X60*24** | *8MV*1352422**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X60*24** | *8MX*0701716**  | 46000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X60*24** | *8MX*0902116**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X60*24** | *8MX*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X60*24** | *8MX*1352420**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X60*24** | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.7 |
|           | ENH4X60*24** | *9MA*0802120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X60*24** | *9MA*1002122A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X60*24** | *9MA*1202422A** | 45500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X60*24** | *9MV*0801716A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X60*24** | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X60*24** | *9MV*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X60*24** | *9MV*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X60*24** | *9MX*0801716A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X60*24** | *9MX*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X60*24** | *9MX*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X60*24** | *9MX*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X60*24** | *9MA*1002120A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X60*24** | *9MPV100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X60*24** | *9MPV125        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X60*24** | *9MV*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X60*24** | *9MVX080        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X60*24** | *9MVX100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X60*24** | *9MX*1002116A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X60*24** | OLV112A16A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X60*24** | OLV154F20A      | 46500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X60*24** |                 | 46500                 | TXV             |          | 13.2         |              | 11.2 |
|           | ENH4X61*24** | *8MV*0901716**  | 46000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X61*24** | *8MV*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X61*24** | *8MV*1352422**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X61*24** | *8MX*0701716**  | 46000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X61*24** | *8MX*0902116**  | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X61*24** | *8MX*1102120**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X61*24** | *8MX*1352420**  | 46000                 | TDR&TXV         | 14       |              |              | 12   |
|           | ENH4X61*24** | *9MA*0602120A** | 45500                 | TDR&TXV         | 13.7     |              |              | 11.5 |
|           | ENH4X61*24** | *9MA*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A348GKD | ENH4X61*24** | *9MA*1002122A** | 46000                 | TDR&TXV         | 14.5     |              |              | 12   |
|           | ENH4X61*24** | *9MA*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X61*24** | *9MV*0801716A** | 45500                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X61*24** | *9MV*0802120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X61*24** | *9MV*1002120A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X61*24** | *9MV*1202422A** | 46000                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X61*24** | *9MX*0801716A** | 46000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X61*24** | *9MX*0802120A** | 46500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X61*24** | *9MX*1002120A** | 46500                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X61*24** | *9MX*1202422A** | 46500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X61*24** | *8MPV100        | 46000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X61*24** | *8MPV125        | 46000                 | TDR&TXV         | 14       |              |              | 11.7 |
|           | ENH4X61*24** | *9MA*1002120A** | 46000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X61*24** | *9MPV100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X61*24** | *9MPV125        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X61*24** | *9MV*1002116A** | 45500                 | TDR&TXV         | 14.2     |              |              | 11.8 |
|           | ENH4X61*24** | *9MVX080        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X61*24** | *9MVX100        | 46000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X61*24** | *9MX*1002116A** | 46000                 | TDR&TXV         | 14       |              |              | 11.5 |
|           | ENH4X61*24** | OLV112A16A      | 46000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X61*24** | OLV154F20A      | 46500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | ENH4X61*24** |                 | 46000                 | TXV             |          | 13           |              | 11   |

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

| COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models                                                                                                                                                                |                 |                 |                       |                 |          |              |              |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
| For complete ratings information, use the AHRI website directory search: <a href="http://www.AHRIdirectory.org">www.AHRIdirectory.org</a> .<br>New ratings may be listed online before Specification Sheets are updated. |                 |                 |                       |                 |          |              |              |      |
| Unit Size                                                                                                                                                                                                                | Indoor Model    | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|                                                                                                                                                                                                                          |                 |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|                                                                                                                                                                                                                          |                 |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|                                                                                                                                                                                                                          |                 |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A360GKD                                                                                                                                                                                                                | *ED*4X60L**     |                 | 57500                 | TXV             |          | 13           |              | 11   |
|                                                                                                                                                                                                                          | FEM4P60**A*     |                 | 55500                 | TDR&TXV         |          |              | 13           | 11   |
|                                                                                                                                                                                                                          | FEM4X60****     |                 | 57500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                          | FS(M,U)4X60**** |                 | 58000                 | TDR&TXV         | 13       |              |              | 10.9 |
|                                                                                                                                                                                                                          | FS(M,U)4X60**A* |                 | 58500                 | TDR&TXV         | 13       |              |              | 10.9 |
|                                                                                                                                                                                                                          | FVM4X60****     |                 | 57500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|                                                                                                                                                                                                                          | FXM4X60**A*     |                 | 58000                 | TDR&TXV         | 14       |              |              | 11.5 |
|                                                                                                                                                                                                                          | EA*4X60*21A*    | *8MV*1102120**  | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*21A*    | *8MX*1102120**  | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*21A*    | *9MA*1002122A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*21A*    | *9MV*1002120A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*21A*    | *9MX*0802120A** | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*21A*    |                 | 58000                 | TXV             |          | 13.2         |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *8MV*1102120**  | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *8MV*1352422**  | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *8MX*1102120**  | 58000                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *8MX*1352420**  | 58000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MA*0802120A** | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MA*1002122A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MA*1202422A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MV*1002120A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MV*1202422A** | 57500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MX*0802120A** | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MX*1002120A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | EA*4X60*24A*    | *9MX*1202422A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | EA*4X60*24A*    |                 | 58000                 | TXV             |          | 13.2         |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60J**      | *9MA*1002122A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60J**      | *9MA*1202422A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60J**      | *9MV*1002120A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60J**      | *9MV*1202422A** | 57500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60J**      | *9MX*0802120A** | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60J**      | *9MX*1202422A** | 57500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60J**      | MV16J22**B*     | 57000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60J**      | MV16J22**B*     | 57000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60J**      | *8MPV125        | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60J**      | *9MVX080        | 58000                 | TDR&TXV         | 13       |              |              | 10.7 |
|                                                                                                                                                                                                                          | ED*4X60J**      |                 | 57500                 | TXV             |          | 13           |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60J**      |                 | 57000                 | TXV             | 13       | 13.2         |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60L**      | *8MV*1352422**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60L**      | *8MX*1352420**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60L**      | *9MA*0802120A** | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60L**      | *9MA*1002122A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60L**      | *9MA*1202422A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60L**      | *9MV*1002120A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60L**      | *9MV*1202422A** | 57500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|                                                                                                                                                                                                                          | ED*4X60L**      | *9MX*0802120A** | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|                                                                                                                                                                                                                          | ED*4X60L**      | *9MX*1002120A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11   |
| * Tested Combo                                                                                                                                                                                                           |                 |                 |                       |                 |          |              |              |      |

| Unit Size | Indoor Model     | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|------------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |                  |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |                  |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |                  |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A360GKD | ED*4X60L**       | *9MX*1202422A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ED*4X60L**       | MV20L24**B*     | 57000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X60L**       | MV20L24**B*     | 57000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ED*4X60L**       | *9MVX100        | 58000                 | TDR&TXV         | 13       |              |              | 10.8 |
|           | ED*4X60L**       | OLV154F20A      | 59000                 | TDR&TXV         | 12.55    |              |              | 10.4 |
|           | ED*4X60L**       |                 | 57500                 | TXV             |          | 13           |              | 11   |
|           | EHD4X60A**       | *8MV*1102120**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X60A**       | *8MV*1352422**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X60A**       | *8MX*1102120**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X60A**       | *8MX*1352420**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X60A**       | *9MA*0802120A** | 57500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X60A**       | *9MA*1002122A** | 58500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X60A**       | *9MA*1202422A** | 58000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X60A**       | *9MV*1002120A** | 58500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X60A**       | *9MV*1202422A** | 58000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X60A**       | *9MX*0802120A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EHD4X60A**       | *9MX*1002120A** | 58500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EHD4X60A**       | *9MX*1202422A** | 58000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EHD4X60A**       | MV16J22**B*     | 57500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X60A**       | MV16J22**B*     | 57500                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EHD4X60A**       | MV20L24**B*     | 57000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X60A**       | MV20L24**B*     | 57000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | EHD4X60A**       | *8MPV125        | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X60A**       | *9MPV100        | 58500                 | TDR&TXV         | 13       |              |              | 10.7 |
|           | EHD4X60A**       | *9MPV125        | 58500                 | TDR&TXV         | 13.15    |              |              | 10.8 |
|           | EHD4X60A**       | *9MVX080        | 58500                 | TDR&TXV         | 13.05    |              |              | 10.7 |
|           | EHD4X60A**       | *9MVX080        | 58500                 | TDR&TXV         | 13       |              |              | 10.7 |
|           | EHD4X60A**       | *9MVX100        | 58000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EHD4X60A**       | *9MVX100        | 58500                 | TDR&TXV         | 13       |              |              | 10.9 |
|           | EHD4X60A**       | OLV154F20A      | 59000                 | TDR&TXV         | 12.7     |              |              | 10.5 |
|           | EHD4X60A**       |                 | 57500                 | TXV             |          | 13           |              | 11   |
|           | EHD4X60A**       |                 | 57500                 | TXV             |          | 13           |              | 11   |
|           | EN(A,D)4X61*24** | *8MV*1102120**  | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X61*24** | *8MV*1352422**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X61*24** | *8MV*1352422**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X61*24** | *8MX*1102120**  | 57500                 | TDR&TXV         | 13.2     |              |              | 11   |
|           | EN(A,D)4X61*24** | *8MX*1352420**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X61*24** | *8MX*1352420**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X61*24** | *9MA*0802120A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X61*24** | *9MA*1002122A** | 58500                 | TDR&TXV         | 13.5     |              |              | 11.3 |
|           | EN(A,D)4X61*24** | *9MA*1202422A** | 58500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X61*24** | *9MV*1002120A** | 59000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X61*24** | *9MV*1202422A** | 58500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X61*24** | *9MX*0802120A** | 58500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X61*24** | *9MX*1002120A** | 59000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | EN(A,D)4X61*24** | *9MX*1202422A** | 58500                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | EN(A,D)4X61*24** | MV20L24**B*     | 57000                 | TDR&TXV         | 13.5     |              |              | 11.5 |
|           | EN(A,D)4X61*24** | *8MPV100        | 59000                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X61*24** | *8MPV125        | 57500                 | TDR&TXV         | 13       |              |              | 11   |
|           | EN(A,D)4X61*24** | *9MPV100        | 59000                 | TDR&TXV         | 13.1     |              |              | 10.8 |
|           | EN(A,D)4X61*24** | *9MPV125        | 59000                 | TDR&TXV         | 13       |              |              | 10.9 |

| Unit Size | Indoor Model       | Furnace Model   | AHRI Standard Ratings |                 |       |    |  |      |
|-----------|--------------------|-----------------|-----------------------|-----------------|-------|----|--|------|
|           |                    |                 | Cooling 95° F (35°C)  |                 |       |    |  |      |
|           |                    |                 | Capacity              | Factory Enhance | SEER  |    |  | EER  |
| Standard  | W/ Field TDR       | W/ Field TXV    |                       |                 |       |    |  |      |
| C4A360GKD | EN(A,D)4X61*24**   | *9MVX080        | 59000                 | TDR&TXV         | 13.1  |    |  | 10.8 |
|           | EN(A,D)4X61*24**   | *9MVX100        | 59000                 | TDR&TXV         | 13    |    |  | 11   |
|           | EN(A,D)4X61*24**   | OLV154F20A      | 59500                 | TDR&TXV         | 12.75 |    |  | 10.5 |
|           | EN(A,D)4X61*24**   |                 | 57000                 | TXV             |       | 13 |  | 11   |
|           | EN(A,D)4X61*24**   |                 | 57000                 | TXV             |       | 13 |  | 11   |
|           | EN(A,D,W)4X60*24** | *8MV*1352422**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | EN(A,D,W)4X60*24** | *8MX*1352420**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | EN(A,D,W)4X60*24** | *9MA*0802120A** | 57500                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | EN(A,D,W)4X60*24** | *9MA*1002122A** | 58000                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | EN(A,D,W)4X60*24** | *9MA*1202422A** | 57500                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | EN(A,D,W)4X60*24** | *9MV*1002120A** | 58000                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | EN(A,D,W)4X60*24** | *9MV*1202422A** | 57500                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | EN(A,D,W)4X60*24** | *9MX*0802120A** | 57500                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | EN(A,D,W)4X60*24** | *9MX*1002120A** | 58000                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | EN(A,D,W)4X60*24** | *9MX*1202422A** | 57500                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | EN(A,D,W)4X60*24** | MV20L24**B*     | 57000                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | EN(A,D,W)4X60*24** | *9MPV100        | 58000                 | TDR&TXV         | 12.95 |    |  | 10.7 |
|           | EN(A,D,W)4X60*24** | *9MPV125        | 58000                 | TDR&TXV         | 13.05 |    |  | 10.8 |
|           | EN(A,D,W)4X60*24** | *9MVX080        | 58000                 | TDR&TXV         | 12.9  |    |  | 10.6 |
|           | EN(A,D,W)4X60*24** | *9MVX100        | 58000                 | TDR&TXV         | 13.15 |    |  | 10.8 |
|           | EN(A,D,W)4X60*24** | OLV154F20A      | 58500                 | TDR&TXV         | 12.55 |    |  | 10.4 |
|           | EN(A,D,W)4X60*24** |                 | 57000                 | TXV             |       | 13 |  | 11   |
|           | ENH4X60*24**       | *8MV*1102120**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X60*24**       | *8MV*1352422**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X60*24**       | *8MX*1102120**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X60*24**       | *8MX*1352420**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X60*24**       | *9MA*0802120A** | 57500                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | ENH4X60*24**       | *9MA*1002122A** | 58000                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | ENH4X60*24**       | *9MA*1202422A** | 57500                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | ENH4X60*24**       | *9MV*1002120A** | 58000                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | ENH4X60*24**       | *9MV*1202422A** | 57500                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | ENH4X60*24**       | *9MX*0802120A** | 57500                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | ENH4X60*24**       | *9MX*1002120A** | 58000                 | TDR&TXV         | 13.2  |    |  | 11   |
|           | ENH4X60*24**       | *9MX*1202422A** | 57500                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | ENH4X60*24**       | MV16J22**B*     | 57000                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | ENH4X60*24**       | MV20L24**B*     | 57000                 | TDR&TXV         | 13.5  |    |  | 11.2 |
|           | ENH4X60*24**       | NOMV156E19*     | 57500                 | TDR&TXV         | 13.05 |    |  | 10.8 |
|           | ENH4X60*24**       | *8MPV125        | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X60*24**       | *9MPV100        | 58000                 | TDR&TXV         | 12.95 |    |  | 10.7 |
|           | ENH4X60*24**       | *9MPV125        | 58000                 | TDR&TXV         | 13.05 |    |  | 10.8 |
|           | ENH4X60*24**       | *9MVX080        | 58000                 | TDR&TXV         | 12.9  |    |  | 10.6 |
|           | ENH4X60*24**       | *9MVX100        | 58000                 | TDR&TXV         | 13.15 |    |  | 10.8 |
|           | ENH4X60*24**       | OLV154F20A      | 58500                 | TDR&TXV         | 12.55 |    |  | 10.4 |
|           | ENH4X60*24**       |                 | 57000                 | TXV             |       | 13 |  | 11   |
|           | ENH4X61*24**       | *8MV*1102120**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X61*24**       | *8MV*1102120**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X61*24**       | *8MV*1352422**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X61*24**       | *8MV*1352422**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X61*24**       | *8MX*1102120**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X61*24**       | *8MX*1102120**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |
|           | ENH4X61*24**       | *8MX*1352420**  | 57000                 | TDR&TXV         | 13    |    |  | 11   |

| Unit Size | Indoor Model | Furnace Model   | AHRI Standard Ratings |                 |          |              |              |      |
|-----------|--------------|-----------------|-----------------------|-----------------|----------|--------------|--------------|------|
|           |              |                 | Cooling 95° F (35°C)  |                 |          |              |              |      |
|           |              |                 | Capacity              | Factory Enhance | SEER     |              |              | EER  |
|           |              |                 |                       |                 | Standard | W/ Field TDR | W/ Field TXV |      |
| C4A360GKD | ENH4X61*24** | *8MX*1352420**  | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X61*24** | *9MA*1002122A** | 58500                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X61*24** | *9MA*1202422A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X61*24** | *9MV*1002120A** | 58500                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X61*24** | *9MV*1202422A** | 58000                 | TDR&TXV         | 13.7     |              |              | 11.4 |
|           | ENH4X61*24** | *9MX*0802120A** | 58000                 | TDR&TXV         | 13.2     |              |              | 11.2 |
|           | ENH4X61*24** | *9MX*1202422A** | 58000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X61*24** | MV16J22**B*     | 57000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X61*24** | MV20L24**B*     | 57000                 | TDR&TXV         | 13.5     |              |              | 11.2 |
|           | ENH4X61*24** | *8MPV100        | 58500                 | TDR&TXV         | 13       |              |              | 10.9 |
|           | ENH4X61*24** | *8MPV125        | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X61*24** | *8MPV125        | 57000                 | TDR&TXV         | 13       |              |              | 11   |
|           | ENH4X61*24** | *9MPV100        | 58000                 | TDR&TXV         | 12.95    |              |              | 10.7 |
|           | ENH4X61*24** | *9MPV125        | 58500                 | TDR&TXV         | 13.1     |              |              | 10.8 |
|           | ENH4X61*24** | *9MVX080        | 58500                 | TDR&TXV         | 12.95    |              |              | 10.7 |
|           | ENH4X61*24** | *9MVX100        | 58500                 | TDR&TXV         | 13.15    |              |              | 10.9 |
|           | ENH4X61*24** | OLV154F20A      | 59000                 | TDR&TXV         | 12.55    |              |              | 10.4 |
|           | ENH4X61*24** |                 | 57000                 | TXV             |          | 13           |              | 11   |
|           | ENH4X61*24** |                 | 57000                 | TXV             |          | 13           |              | 11   |

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

| ACCESSORY USAGE GUIDELINES         |                                                              |                                                              |
|------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|
| Accessory                          | REQUIRED FOR LOW-AMBIENT APPLICATIONS<br>{Below 55°F (13°C)} | REQUIRED FOR LONG LINE APPLICATIONS*<br>{Over 80 Ft.(24.4m)} |
| Crankcase Heater                   | Yes                                                          | Yes                                                          |
| Evaporator Freeze Thermostat       | Yes                                                          | No                                                           |
| Winter Start Control               | Yes                                                          | No                                                           |
| Hard Start Kit (Capacitor & Relay) | Yes                                                          | Yes                                                          |
| Low Ambient Kit (Pressure Switch)  | Yes                                                          | No                                                           |
| Support Feet, 4" (102mm) tall      | Recommended                                                  | No                                                           |
| Liquid Line Solenoid Valve         | No                                                           | See Long-Line Application Guideline                          |

\* For Line Set lengths between 80 and 200 ft (24.4 and 61m) horizontal, or more than 20 ft (6.1m) indoor-outdoor vertical separation, refer to the Long Line Application Guideline document.

| ACCESSORIES |                                                              |                    |
|-------------|--------------------------------------------------------------|--------------------|
| Part Number | Description                                                  | Used On Model Size |
| NASA001CH   | Crankcase Heater for Scroll Compressor (208/230 V)           | 42, 48, 60         |
| NASA003CH   | Crankcase Heater for Scroll Compressor (208/230 V)           | 18, 24, 30, 36     |
| NASA001SC   | Start Component – PTC Device                                 | ALL                |
| NASA001FS   | Evaporator Freeze Thermostat                                 | ALL                |
| NASA401LS   | Liquid Line Solenoid Valve, R-410A                           | ALL                |
| NASA001TD   | Time Delay Relay, Indoor Blower                              | ALL                |
| NASA001WS   | Winter Start Control                                         | ALL                |
| NASA001AC   | Anti-Cycle Timer (5 minute delay)                            | ALL                |
| NASA005SC   | Hard Start Kit (Capacitor & Relay)                           | ALL                |
| NASA401LA   | Low Ambient Kit (Pressure Switch), R-410A                    | ALL                |
| NASA001SF   | Support Feet, 4" (102mm) tall                                | ALL                |
| EBAC05TXVX  | TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers) | 18, 24, 30         |
| EBAC06TXVX  | TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers) | 36, 42             |
| EBAC07TXVX  | TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers) | 48, 60             |
| NAEA40501TX | TXV Kit, R-410A – 2010 and later Piston Coils                | 18, 24, 30         |
| NAEA40601TX | TXV Kit, R-410A – 2010 and later Piston Coils                | 36, 42             |
| NAEA40701TX | TXV Kit, R-410A – 2010 and later Piston Coils                | 48, 60             |