

Package Air Conditioners

<p>2 - 5 Tons</p> <p>PAR5</p> <ul style="list-style-type: none"> ENERGY STAR® Up to 16 SEER, 12 EER 2-stage scroll compressor High-efficiency ECM blower motor Accessory filter racks support 2" filters Hail guard tight-wire grille 208/230 volts 	<p>2.5 - 5 Tons</p> <p>PAD4</p> <ul style="list-style-type: none"> ENERGY STAR Up to 14.5 SEER 12 EER Convertible airflow design Scroll compressor High-efficiency ECM blower motor Accessory filter racks support 2" filters 208/230 or 460 volts 	<p>2.5 - 5 Tons</p> <p>PAD3</p> <ul style="list-style-type: none"> Up to 13.5 SEER Convertible airflow design Scroll compressor High-efficiency ECM blower motor Accessory filter racks support 2" filters 208/230 or 460 volts 	<p>3 - 6 Tons</p> <p>RAHO36, RAHO48, RAHO60, RAHO72</p> <ul style="list-style-type: none"> ENERGY STAR ASHRAE 90.1 efficiency Up to: 15.6 SEER, 13.0 EER Single-stage cooling Medium and High-static fan motor options Factory installed economizer option Convertible airflow design Scroll compressor 208/230, 460 or 575 volts 	<p>3 - 5 Tons</p> <p>RASO36, RASO48, RASO60</p> <ul style="list-style-type: none"> ASHRAE 90.1 efficiency 13 SEER Medium and High-static fan motor options Factory installed economizer option Convertible airflow design Scroll compressor Single-stage cooling 208/230, 460 or 575 volts 	<p>6 Tons</p> <p>RASO72</p> <ul style="list-style-type: none"> ASHRAE 90.1 efficiency 11.2 EER Medium and High-static fan motor options Factory installed economizer option Convertible airflow design Scroll compressor 208/230, 460 or 575 volts 	<p>7.5 - 12.5 Tons</p> <p>RAHO90, RAH102, RAH120, RAH150</p> <ul style="list-style-type: none"> ENERGY STAR ASHRAE 90.1 efficiency 11.7 - 12.4 EER Two-stage cooling Medium and High-static fan motor options Factory installed economizer option Convertible airflow design Dual scroll compressors 208/230, 460 or 575 volts 	<p>7.5 - 15 Tons</p> <p>RASO90, RAS102, RAS120, RAS150, RAS180</p> <ul style="list-style-type: none"> ASHRAE 90.1 efficiency Up to 11.3 EER Medium and High-static fan motor options Factory installed economizer option Convertible airflow design Dual scroll compressors 2-stage cooling 208/230, 460 or 575 volts 	<p>7.5 - 10 Tons</p> <p>RASO91, RAS101, RAS121</p> <ul style="list-style-type: none"> ASHRAE 90.1 efficiency 11.2 EER Medium and High-static fan motor options Factory installed economizer option Convertible airflow design Single scroll compressor 208/230, 460 or 575 volts 	<p>15, 17.5, 20, 25 Tons</p> <p>RAH181, RAH210, RAH240, RAH300</p> <ul style="list-style-type: none"> ENERGY STAR ASHRAE 90.1 efficiency 11.4 - 12.2 EER Dedicated vertical airflow Medium and High-static indoor fan options Factory installed economizer option Scroll compressors 2-stage cooling with independent circuits and controls 208/230, 460 or 575 volts 	<p>15, 17.5, 20, 25 Tons</p> <p>RAH183, RAH213, RAH243, RAH303</p> <ul style="list-style-type: none"> ENERGY STAR ASHRAE 90.1 efficiency 11.4 - 12.2 EER Dedicated horizontal airflow Medium and High-static indoor fan options Factory installed economizer option Scroll compressors 2-stage cooling with independent circuits and controls 208/230, 460 or 575 volts 	<p>17.5, 20, 25, 27.5 Tons</p> <p>RAS210, RAS240, RAS300, RAS336</p> <ul style="list-style-type: none"> ASHRAE 90.1 efficiency 10.0 - 11.0 EER Dedicated vertical airflow High-static indoor fan option Factory installed economizer option Scroll compressors 2-stage cooling with independent circuits and controls 208/230, 460 or 575 volts 	<p>17.5, 20, 25, 27.5 Tons</p> <p>RAS213, RAS243, RAS303, RAS333</p> <ul style="list-style-type: none"> ASHRAE 90.1 efficiency 10.0 - 11.0 EER Dedicated horizontal airflow High-static indoor fan option Factory installed economizer option Scroll compressors 2-stage cooling with independent circuits and controls 208/230, 460 or 575 volts
--	--	---	--	--	---	---	---	---	--	--	---	---

Package Dual Fuel

2.5 - 5 Tons

PDS4, PDD4

- ENERGY STAR
- Up to 14.5 SEER
- 12 EER and 8 HSPF
- Up to 80.4% AFUE
- Dual Fuel - gas heat and electric heat pump
- Scroll compressor
- Convertible airflow design
- Stainless steel tubular heat exchanger (PDS4)
- Aluminized steel tubular heat exchanger (PDD4)
- Direct spark ignition
- High-efficiency ECM blower motor
- Accessory filter racks support 2" filters
- 208/230 volts only

2.5 - 5 Tons

PDS3, PDD3

- Up to 13.5 SEER
- Up to 80.4% AFUE
- Dual Fuel - gas heat and electric heat pump
- Scroll compressor
- Convertible airflow design
- Stainless steel tubular heat exchanger (PDS3)
- Aluminized steel tubular heat exchanger (PDD3)
- Direct spark ignition
- High-efficiency ECM blower motor
- Accessory filter racks support 2" filters
- 208/230 volts only

2 - 5 Tons

PGR5

- ENERGY STAR
- Up to 16 SEER, 12 EER
- 2-stage scroll compressor
- 2-stage gas heat
- Stainless steel heat exchanger
- High-efficiency ECM blower motor
- Accessory filter racks support 2" filters
- Hail guard tight-wire grille
- 208/230 volts

2.5 - 5 Tons

PGS4, PGD4

- Up to 13.5 SEER
- Up to 14.5 SEER
- 12 EER
- Up to 80.4% AFUE
- Scroll compressor
- Convertible airflow design
- Stainless steel tubular heat exchanger (PGS3)
- Aluminized steel tubular heat exchanger (PGD3)
- Direct spark ignition
- High-efficiency ECM blower motor
- Accessory filter racks support 2" filters
- 208/230 or 460 volts

3 - 6 Tons

RGH036, RGH048, RGH060, RGH072

- ENERGY STAR
- ASHRAE 90.1 efficiency
- Up to: 15.6 SEER, 13.0 EER
- Single-stage cooling
- Medium and High-static fan motor options
- Three heat options (low, medium & high)
- Factory installed economizer option
- Convertible airflow design
- Tubular heat exchanger
- 2-stage gas heat
- Scroll compressor
- Single-stage cooling
- Low Nox models available
- 208/230, 460 or 575 volts

Package Heat Pumps

2 - 5 Tons

PHR5

- ENERGY STAR
- Up to 15.5 SEER, 12 EER
- 2-stage scroll compressor
- High-efficiency ECM blower motor
- Accessory filter racks support 2" filters
- Hail guard tight-wire grille
- 208/230 volts

2.5 - 5 Tons

PHD4

- ENERGY STAR
- Up to 14.5 SEER
- 12 EER and 8 HSPF
- Scroll compressor
- Convertible airflow design
- High-efficiency ECM blower motor
- Accessory filter racks support 2" filters
- 208/230 or 460 volts

2.5 - 5 Tons

PHD3

- Up to 13.5 SEER
- Up to 7.8 HSPF
- Scroll compressor
- Convertible airflow design
- High-efficiency ECM blower motor
- Accessory filter racks support 2" filters
- 208/230 or 460 volts

3 - 6 Tons

RHH036, RHH048, RHH060, RHH072

- ENERGY STAR
- ASHRAE 90.1 efficiency
- Up to: 15.8 SEER, 12.8 EER
- Single-stage cooling
- Medium and High-static fan motor options
- Factory installed economizer option
- Convertible airflow design
- Scroll compressor
- 208/230, 460 or 575 volts

3 - 5 Tons

RHS036, RHS048, RHS060

- ASHRAE 90.1 efficiency
- Up to 13.4 SEER
- 7.7 HSPF
- Medium and High-static fan motor options
- Factory installed economizer option
- Convertible airflow design
- Scroll compressor
- 208/230, 460 or 575 volts

6 Tons

RHS072

- ASHRAE 90.1 efficiency
- 11.1 EER
- Medium and High-static fan motor options
- Factory installed economizer option
- Convertible airflow design
- Scroll compressor
- 208/230, 460 or 575 volts

Split Condensing Units

3 - 5 Tons

HC4A3

- 13 SEER
- Scroll compressor
- 208/230 or 460 volts

3 - 5 Tons

HAA3

- 13 SEER
- Scroll compressor
- 2-speed fan motor
- 20°F low ambient control
- Comfort Alert® diagnostics*
- 208/230 or 460 volts

2.5 - 5 Tons

NAA3

- 13 SEER
- Scroll compressor
- 208/230, 460 or 575 volts

R-22 Service Component

RZA3

- Shipped with dry nitrogen holding charge
- Field R-22 charge required
- Shipped with mineral oil
- Sold as Marathon® brand
- Can be sold only as replacement components for existing R-22 appliances, not as part of new system
- 2.5 - 5 tons
- 208/230 volts
- Limited Warranty - Compressor
- 1 year

6 Tons

CASO72

- ASHRAE 90.1 efficiency
- 11.2 EER
- Scroll compressor
- Comfort Alert® diagnostics*
- Low ambient control option (-20°F)
- 208/230, 460 or 575 volts

7.5 - 12.5 Tons

CASO91, CAS121, CAS151

- ASHRAE 90.1 efficiency
- Up to 11.2 EER
- Scroll compressor
- Comfort Alert® diagnostics*
- Low ambient control option (-20°F)
- 208/230, 460 or 575 volts

10 - 12.5 Tons

CAS120, CAS150

- ASHRAE 90.1 efficiency
- 11.2 EER
- Dual scroll compressors
- Comfort Alert® diagnostics*
- Low ambient control option (-20°F)
- 208/230, 460 or 575 volts

Heil® commercial products are covered by the following parts-only limited warranties:

- Stainless Steel Heat Exchanger - 15 Yrs. (RGH & RGS models only)
- Aluminized Steel Heat Exchanger - 10 Yrs.
- Compressor - 5 Yrs. (unless otherwise indicated)
- Parts - 1 Yr.

* Comfort Alert® is a registered trademark of Emerson Climate Technologies, Inc.

Factory installed options (FIOs) are available on select models of Heil® package rooftops. A full line of commercial accessories is available. See your Heil sales representative for availability!

See www.Gottlieb.com for the most current and complete warranty certificate and further details. Illustrations and photographs are only representative. Some product models may vary. As part of its commitment to quality, International Comfort Products reserves the right to change specifications on its products without notice. © 2013 International Comfort Products

Commercial Air Handlers

6 - 25 Tons

FAS072, FAS091, FAS120, FAS150, FAS180, FAS240, FAS300

- AC fan coil
- TXV standard
- 4-row coil
- Optional High-static fan motor
- Painted or unpainted cabinet
- Multi-position
- 5 - 70 kW electric heat
- 208/230/460 or 575 volts

Cased Coils

7.5 & 10 Tons

CAHZ (Horizontal) CAVT (Vertical)

- R-410A
- R-22
- Direct-expansion evaporator coils
- TXV
- 3/8" coil tubing
- Shipped with nitrogen holding charge

Split Heat Pumps

3 - 5 Tons

HC4H3

- 13 SEER
- 7.7 HSPF
- Scroll compressor
- 208/230 or 460 volts

3 - 5 Tons

H4H3

- Shipped with dry nitrogen holding charge
- Field R-22 charge required
- Shipped with mineral oil
- Sold as Marathon® brand
- Can be sold only as replacement components for existing R-22 appliances, not as part of new system
- 2.5 - 5 tons
- 208/230 volts
- Limited Warranty - Compressor
- 1 year

2.5 - 5 Tons

N4H3

- 13 SEER
- Scroll compressor
- 208/230 or 460 volts